

Table A 1 – Predicted NO₂ and PM₁₀ Concentrations, Baseline (2006)

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
HBC6	351823	386057	2.5	37.4	28.8	23
HBC1	351775	386100	2.5	34.1	26.7	17
HBC2	351727	386127	2.5	35.5	27.2	18
HBC3	351678	386129	2.5	29.6	23.6	9
HBC4	351788	386069	2.5	32.1	25.3	13
HBC5	351801	386073	2.5	39.3	30.3	29
V8	351801	386061	2.5	33.4	26.2	15
HBC9	351779	386090	2.5	38.4	29.7	26
HBC10	350693	385351	2.5	30.2	23.8	10
HBC13	352037	386316	2.5	32.2	25.8	14
HBC14	352049	386326	2.5	33.8	26.9	18
HBC15	352045	386289	2.5	37.0	29.1	24
V14	351387	385645	2.5	30.7	24.1	10
V15	351342	385626	2.5	31.5	24.6	11
HBC18	351137	382679	2.5	38.6	28.7	23
MG1	351090	383944	2.5	32.8	25.0	12
V18	351053	383880	8.5	43.4	31.1	32
V19	351031	383912	8.5	37.5	27.6	19
MG4	351055	384052	2.5	35.5	26.7	17
MG5	351069	384014	2.5	34.4	26.0	15
MG6	351059	383836	2.5	32.6	24.8	12
MG7	350957	383019	2.5	34.9	26.0	15
MG8	350923	383057	2.5	37.8	27.4	19
MG9	350826	383019	2.5	32.1	24.5	11
MG10	350834	382982	5.5	32.0	24.6	11
MG11	350193	381358	2.5	29.1	22.7	8
HBC0	350661	385222	2.5	31.3	24.2	11
MG15	350696	384933	2.5	45.0	31.6	34
MG16	351326	384999	2.5	36.7	26.6	17
MG17	353187	382824	2.5	29.0	22.3	7
MG18	352851	380859	5.5	28.3	22.5	7
MG19	352563	380535	5.5	29.8	23.2	8
MG20	356146	383641	2.5	28.6	22.7	7
V35	350263	381255	2.5	44.5	31.2	32
MG22	352023	382867	8.5	31.4	24.0	10
MG23	352088	382890	8.5	30.7	23.6	9
1	347517	388892	1.5	28.3	22.7	8
2	347905	389085	1.5	22.3	19.9	3
3	347712	388845	1.5	29.3	22.5	7
4	347671	388535	1.5	22.2	19.8	3
5	347644	388391	1.5	22.1	19.8	3
6	348116	388644	1.5	24.2	20.6	4
7	348797	388238	1.5	28.6	22.5	7
8	349257	388222	1.5	28.5	22.5	7
9	349326	388236	1.5	31.5	23.9	10
10	348420	388088	1.5	24.1	20.4	4
11	349399	388261	1.5	30.8	24.2	11

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
12	349747	388364	1.5	27.4	22.0	6
13	349910	388360	1.5	28.9	22.3	7
14	350563	388381	1.5	26.8	21.6	6
15	350919	388380	1.5	28.9	22.8	8
16	350935	388353	1.5	26.8	21.9	6
17	351049	388372	1.5	28.3	23.4	9
18	351136	388383	1.5	29.8	24.3	11
19	351187	388375	1.5	26.5	21.8	6
20	351214	388418	1.5	27.2	22.2	7
21	351514	388403	1.5	24.6	20.8	5
22	351615	388424	1.5	26.8	21.6	6
23	352173	388104	1.5	28.2	22.1	6
24	352528	388148	1.5	29.3	23.4	9
25	352294	388057	1.5	28.1	22.7	8
26	351006	388294	1.5	27.9	22.6	7
27	349407	388201	1.5	28.0	22.2	7
28	349724	387531	1.5	25.1	21.1	5
29	352548	387886	1.5	32.5	25.2	13
30	352882	387866	1.5	25.1	20.9	5
31	352742	387523	1.5	26.9	21.9	6
32	352422	386754	1.5	29.4	23.3	9
33	352300	386724	1.5	31.5	24.5	11
34	352329	386280	1.5	33.4	25.2	13
35	352279	386432	4.5	29.4	23.3	9
36	352560	386458	1.5	30.8	24.0	10
37	352554	386442	1.5	29.8	23.5	9
38	351872	385602	1.5	34.6	26.2	15
39	351695	385075	1.5	36.4	26.7	17
40	351534	385048	1.5	33.1	24.8	12
41	351183	384375	1.5	33.0	25.0	12
42	351086	384310	1.5	33.8	25.5	14
43	351054	384296	4.5	33.9	25.5	14
44	351030	384252	1.5	38.6	28.4	22
45	351035	384183	1.5	39.6	29.6	26
46	351080	383891	1.5	32.0	24.5	11
47	351048	384151	1.5	37.8	28.5	22
48	351061	384051	4.5	37.9	28.2	21
49	351072	383950	4.5	36.3	27.0	18
50	351069	383918	1.5	32.4	24.7	12
51	351086	383771	1.5	31.2	24.0	10
52	351072	383733	1.5	31.2	24.0	10
53	351054	383756	1.5	31.2	24.0	10
54	351085	383904	1.5	32.0	24.5	11
55	351127	383878	1.5	30.9	23.9	10
56	351142	383777	1.5	30.2	23.5	9
57	351127	383715	1.5	30.2	23.5	9
58	351176	383719	1.5	29.4	23.1	8
59	351071	383994	4.5	36.7	27.4	19
60	351061	384083	4.5	37.6	28.1	21

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
61	351099	384090	1.5	33.1	25.3	13
62	350984	383858	1.5	29.9	23.4	9
63	350711	384447	1.5	31.3	23.9	10
64	351061	384099	4.5	37.6	28.2	21
65	349929	385002	1.5	28.2	22.3	7
66	348397	385347	1.5	27.4	21.4	5
67	348298	385236	1.5	30.9	23.4	9
68	349080	385171	1.5	29.9	23.3	9
69	349256	385356	1.5	28.0	22.6	7
70	349298	385359	1.5	30.4	24.2	11
71	349410	385524	1.5	29.8	23.6	9
72	349620	385772	1.5	28.4	22.7	8
73	349645	385778	1.5	28.3	22.7	7
74	349920	385941	1.5	29.6	23.5	9
75	349904	385927	1.5	28.3	22.2	7
76	350768	385274	1.5	33.7	26.0	15
77	349033	385512	1.5	26.3	21.4	5
78	349069	385476	1.5	25.8	21.2	5
79	348502	385636	1.5	28.4	22.4	7
80	348417	385653	1.5	26.2	21.4	5
81	348400	385991	1.5	27.5	22.1	6
82	348422	386002	1.5	29.0	22.8	8
83	348534	386348	1.5	29.5	23.6	9
84	348549	386364	1.5	29.5	23.4	9
85	348480	386431	1.5	28.4	23.0	8
86	348383	386486	1.5	27.2	21.8	6
87	348365	386521	1.5	29.3	23.6	9
88	348881	386303	1.5	28.8	22.1	7
89	348889	386269	1.5	26.3	21.2	5
90	349549	386212	1.5	28.9	22.4	7
91	349662	386261	1.5	29.6	23.6	9
92	349821	386329	1.5	31.5	25.6	14
93	349798	386300	1.5	31.7	25.4	13
94	349827	386270	1.5	33.7	26.8	17
95	349744	386115	1.5	30.6	24.6	12
96	349729	385975	1.5	36.8	28.9	24
97	349728	385958	1.5	31.1	24.7	12
98	349800	385956	1.5	28.7	23.1	8
99	349799	385970	1.5	29.9	23.8	10
100	349752	386041	1.5	31.3	25.1	13
101	350174	385714	1.5	28.8	22.4	7
102	350403	385588	1.5	28.5	22.9	8
103	350802	385267	1.5	30.9	24.2	11
104	350876	385263	1.5	30.0	23.7	9
105	350959	385255	1.5	31.6	24.7	12
106	351266	385612	1.5	28.9	23.5	9
107	351159	385573	1.5	28.8	22.5	7
108	350961	385497	1.5	29.3	22.7	8
109	350950	385515	1.5	29.3	23.7	9

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
110	351323	385646	1.5	30.1	24.2	11
111	351356	385667	1.5	28.2	22.9	8
112	351347	385935	1.5	28.4	23.4	9
113	351303	385948	1.5	28.3	22.5	7
114	351313	386172	1.5	29.1	23.7	10
115	351318	386224	1.5	29.5	24.0	10
116	351373	386229	1.5	30.2	24.6	11
117	351397	386201	1.5	31.3	25.0	12
118	351401	386168	1.5	29.3	23.8	10
119	350775	385376	1.5	29.8	23.8	10
120	350808	385378	1.5	30.2	24.1	10
121	350866	385522	1.5	30.0	24.2	11
122	350842	385531	1.5	29.2	22.7	8
123	350862	385789	1.5	26.6	21.7	6
124	350881	385779	1.5	27.5	22.2	7
125	350118	386343	1.5	34.3	26.1	15
126	350275	386296	1.5	28.3	22.8	8
127	350916	386257	1.5	29.1	23.9	10
128	350913	386209	1.5	28.6	23.5	9
129	351081	386236	1.5	28.6	23.2	9
130	351074	386201	1.5	28.5	23.2	9
131	351540	386332	1.5	28.5	22.4	7
132	351405	386349	1.5	28.4	22.6	7
133	351422	386286	1.5	27.3	22.0	6
134	351371	386371	1.5	28.7	22.8	8
135	351694	386141	1.5	35.2	26.9	17
136	351740	386104	1.5	32.0	24.8	12
137	351836	386075	1.5	34.0	25.7	14
138	351847	386040	1.5	36.2	27.3	19
139	351887	386132	1.5	34.4	26.2	15
140	352015	386287	1.5	32.6	25.3	13
141	352020	386265	1.5	33.0	25.6	14
142	352068	386299	1.5	36.3	26.7	17
143	352103	386332	1.5	34.0	25.9	15
144	352180	386302	1.5	30.7	24.0	10
145	352248	386344	4.5	32.5	24.9	12
146	351251	388716	1.5	26.1	21.8	6
147	351197	384929	1.5	45.4	32.4	37
148	351180	384928	1.5	41.5	29.9	27
149	351161	384995	1.5	40.7	29.4	25
150	351175	384994	1.5	43.9	31.4	33
151	351346	385012	1.5	35.2	25.8	14
152	351201	385164	1.5	31.9	24.5	11
153	351256	385194	1.5	32.4	24.8	12
154	351287	385266	1.5	35.2	27.2	18
155	351310	385395	1.5	33.6	25.9	15
156	351254	385434	1.5	28.8	23.1	8
157	351407	385350	1.5	31.5	25.0	12
158	351393	385298	1.5	30.7	24.6	11

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
159	351478	385473	1.5	32.5	25.6	14
160	351517	385287	1.5	30.8	25.0	12
161	351507	385276	1.5	29.5	23.9	10
162	351759	385633	1.5	32.6	24.9	12
163	350924	383249	4.5	35.3	26.4	16
164	350919	383218	4.5	35.0	26.3	16
165	350913	383189	4.5	35.2	26.4	16
166	350850	383218	4.5	34.1	25.8	14
167	350887	383173	4.5	38.3	28.3	22
168	350827	383148	4.5	32.4	24.7	12
169	350830	383103	4.5	32.8	24.9	12
170	350893	383087	4.5	39.6	28.7	23
171	350905	383062	4.5	39.4	28.5	22
172	350849	383065	4.5	34.5	25.8	14
173	350938	383019	4.5	37.3	27.3	18
174	350963	383001	4.5	36.0	26.5	16
175	350814	383013	4.5	31.3	24.1	10
176	350839	382994	4.5	32.5	24.8	12
177	350791	383092	1.5	32.2	24.4	11
178	350789	383006	1.5	33.3	24.9	12
179	350802	383203	1.5	31.0	23.9	10
180	350924	382989	4.5	36.0	26.7	17
181	350964	382914	1.5	35.5	26.3	16
182	350998	382909	4.5	34.7	25.9	15
183	350942	382747	1.5	34.6	26.3	16
184	351028	382766	4.5	33.7	25.6	14
185	350999	382746	1.5	34.1	25.8	14
186	351096	383015	1.5	40.4	29.5	26
187	351105	383024	1.5	37.4	27.5	19
188	351095	382975	1.5	43.3	32.0	36
189	351094	382947	1.5	43.2	31.2	32
190	351051	382928	4.5	35.4	26.2	15
191	351064	382923	4.5	35.3	26.1	15
192	351110	382958	1.5	46.6	34.1	45
193	351098	383134	1.5	33.0	24.8	12
194	350999	383149	1.5	33.0	25.0	12
195	350994	383229	1.5	32.2	24.6	11
196	350984	383167	1.5	33.1	25.1	13
197	351127	383211	1.5	30.8	23.8	10
198	351190	383114	1.5	33.3	24.9	12
199	351198	383103	1.5	32.2	24.4	11
200	351368	383193	1.5	29.1	22.9	8
201	351473	383075	1.5	33.0	24.9	12
202	351485	383068	1.5	32.7	24.8	12
203	351444	383035	1.5	32.5	25.1	13
204	351430	383007	1.5	33.7	25.6	14
205	351333	382970	1.5	33.4	25.2	13
206	351250	382968	1.5	36.1	26.7	17
207	351547	383009	1.5	31.6	24.3	11

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
208	351618	382980	1.5	31.7	24.3	11
209	351662	382906	1.5	30.7	23.7	9
210	351495	382866	1.5	32.5	24.6	12
211	351453	382922	1.5	32.7	24.7	12
212	351796	383003	1.5	35.3	26.2	15
213	351829	383060	1.5	30.2	23.4	9
214	351735	383026	1.5	30.6	23.7	9
215	351870	383178	1.5	27.8	21.8	6
216	351851	383083	1.5	28.5	22.6	7
217	352021	383091	1.5	29.3	22.3	7
218	352106	382988	1.5	29.5	23.1	8
219	352061	382930	1.5	31.0	23.9	10
220	351939	382911	1.5	32.9	25.1	13
221	351881	382926	1.5	33.1	25.0	12
222	351959	382885	1.5	31.8	24.3	11
223	352060	382864	4.5	30.2	23.5	9
224	351911	382756	1.5	32.4	24.5	11
225	351768	382749	1.5	35.3	26.1	15
226	351661	382810	1.5	30.4	23.6	9
227	351604	382593	1.5	31.0	24.2	11
228	351513	382664	1.5	33.3	25.3	13
229	351173	382753	1.5	38.0	28.0	21
230	351144	382717	1.5	40.1	29.5	26
231	351132	382689	1.5	38.6	28.7	23
232	351090	382667	1.5	38.9	29.0	24
233	351009	382626	4.5	32.3	25.0	12
234	352142	382853	1.5	32.0	24.6	11
235	352244	382828	1.5	30.4	23.7	9
236	351788	382659	1.5	37.9	27.5	19
237	351797	382556	1.5	33.0	24.9	12
238	351808	382487	1.5	35.0	26.3	16
239	351778	382469	1.5	34.8	26.3	16
240	352011	382335	1.5	29.4	23.2	8
241	352020	382306	1.5	28.6	22.7	8
242	351907	382337	1.5	32.2	24.5	11
243	352102	382164	1.5	30.5	23.5	9
244	352334	382063	1.5	28.7	22.8	8
245	352257	382087	1.5	29.1	22.9	8
246	351862	382407	1.5	32.3	24.7	12
247	351699	382438	1.5	28.3	22.7	8
248	351742	382340	1.5	31.3	24.3	11
249	351659	382309	1.5	29.1	23.1	8
250	351802	382347	1.5	29.9	23.5	9
251	351903	382108	1.5	26.8	21.5	6
252	351722	382031	1.5	28.1	22.1	6
253	351737	381927	1.5	27.9	22.7	7
254	351808	381932	1.5	28.3	22.1	7
255	351910	381765	1.5	26.8	21.4	5
256	351892	381644	1.5	26.5	21.2	5

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
257	351905	381596	1.5	25.7	21.0	5
258	351648	381822	1.5	28.5	22.3	7
259	351674	381877	1.5	28.5	22.3	7
260	351659	381908	1.5	28.2	22.0	6
261	351543	382292	1.5	28.8	22.3	7
262	351367	382295	1.5	28.3	22.2	7
263	351523	382540	1.5	29.7	23.3	9
264	351480	382560	1.5	30.0	23.5	9
265	351139	382524	1.5	33.7	25.9	15
266	351103	382303	1.5	28.9	23.2	8
267	351125	382278	1.5	28.5	22.3	7
268	351049	382272	1.5	31.3	24.8	12
269	350629	382822	1.5	30.9	23.9	10
270	350513	382811	1.5	33.2	24.6	11
271	350722	382898	1.5	32.4	24.6	11
272	350731	382843	1.5	35.4	26.7	17
273	350136	382162	1.5	28.5	22.6	7
274	350123	382109	1.5	31.6	24.1	10
275	350120	382026	1.5	33.5	25.0	12
276	350140	382071	1.5	30.6	23.6	9
277	350206	381889	1.5	31.2	23.8	10
278	350245	381649	1.5	32.7	24.6	11
279	350278	381588	1.5	30.7	23.5	9
280	350262	381544	1.5	31.9	24.1	10
281	350264	381406	1.5	31.1	23.7	9
282	350315	381455	1.5	30.1	23.2	8
283	350397	381584	1.5	28.6	21.9	6
284	350421	381539	1.5	28.6	21.9	6
285	350491	381849	1.5	25.9	21.0	5
286	350624	382069	1.5	24.9	20.7	4
287	350817	382126	1.5	25.8	21.0	5
288	350811	382163	1.5	27.3	21.5	6
289	350745	382231	1.5	26.3	21.2	5
290	350828	382275	1.5	25.3	20.9	5
291	350951	382185	1.5	28.5	22.1	6
292	351013	382209	1.5	28.1	22.5	7
293	350840	382584	1.5	28.4	22.3	7
294	350772	382681	1.5	28.7	23.0	8
295	350782	382650	1.5	28.1	22.7	8
296	350807	382656	1.5	28.5	23.0	8
297	350628	382577	1.5	28.6	22.2	7
298	350230	382123	1.5	28.9	22.1	6
299	350302	382131	1.5	26.7	21.3	5
300	350239	382056	1.5	29.6	23.0	8
301	350224	381971	1.5	28.7	22.6	7
302	350476	381360	1.5	28.6	21.9	6
303	350479	381101	1.5	29.0	22.0	6
304	350504	381055	1.5	28.5	22.4	7
305	350373	381041	1.5	31.5	23.9	10

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
306	350670	380498	1.5	35.7	25.8	14
307	350805	380559	1.5	30.1	23.1	8
308	350677	380775	1.5	28.6	22.4	7
309	350860	380527	1.5	31.4	23.8	10
310	350851	380563	1.5	30.3	23.3	9
311	350842	380734	1.5	30.7	23.5	9
312	350842	380660	1.5	29.2	22.8	8
313	350896	380924	1.5	27.9	21.7	6
314	350919	380899	1.5	28.7	21.9	6
315	351166	381332	1.5	26.9	21.5	6
316	351362	381559	1.5	30.1	24.2	11
317	351336	381545	1.5	28.0	22.7	8
318	351390	381512	1.5	28.7	22.5	7
319	351274	381753	1.5	28.2	22.2	7
320	351255	381708	1.5	26.7	21.6	6
321	351041	381966	1.5	26.1	21.2	5
322	350898	382120	1.5	28.4	22.0	6
323	351259	382044	1.5	25.7	21.1	5
324	351249	382033	1.5	25.4	21.0	5
325	351415	381872	1.5	25.5	21.1	5
326	351385	381871	1.5	25.3	21.0	5
327	351411	381596	1.5	28.2	23.2	8
328	351496	381625	1.5	27.4	21.9	6
329	350964	382387	1.5	29.3	22.9	8
330	350963	382369	1.5	28.1	22.3	7
331	350903	380310	1.5	39.4	27.8	20
332	350995	380392	1.5	34.1	25.1	13
333	352208	380552	1.5	28.7	22.6	7
334	352266	380623	1.5	28.8	22.7	8
335	352230	380693	1.5	29.0	23.0	8
336	352103	380709	1.5	28.9	22.1	7
337	351964	380829	1.5	28.3	22.7	8
338	351710	380995	1.5	26.5	21.4	5
339	351548	381137	1.5	29.4	22.8	8
340	352235	381390	1.5	26.9	21.4	5
341	352192	381328	1.5	26.8	21.3	5
342	352211	381308	1.5	27.2	21.5	5
343	352483	380894	1.5	28.4	21.9	6
344	352581	380837	1.5	29.1	22.2	7
345	352899	381107	1.5	28.1	22.4	7
346	352790	381334	1.5	28.0	22.7	8
347	352681	381399	1.5	27.5	21.7	6
348	352673	381564	1.5	28.0	22.0	6
349	352554	381617	1.5	27.5	21.8	6
350	352328	381602	1.5	28.1	22.1	6
351	352240	381921	1.5	28.2	22.7	8
352	352233	381855	1.5	27.7	21.9	6
353	352649	381873	1.5	29.1	22.9	8
354	352482	381876	1.5	27.8	21.8	6

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
355	352888	381551	1.5	29.1	22.5	7
356	352912	381563	1.5	29.1	22.5	7
357	353144	381572	4.5	28.9	23.0	8
358	353152	381501	4.5	29.0	22.9	8
359	353113	381385	4.5	28.6	22.7	7
360	352657	380746	4.5	29.2	23.0	8
361	352749	380712	4.5	28.9	22.8	8
362	352730	380787	4.5	29.3	23.0	8
363	352837	380753	4.5	28.6	22.6	7
364	352828	380832	4.5	29.1	22.9	8
365	352876	380854	7.5	28.2	22.4	7
366	352930	380889	10.5	28.2	21.9	6
367	352959	380938	10.5	28.1	21.9	6
368	352994	381041	7.5	28.1	22.5	7
369	353049	381138	7.5	28.1	22.5	7
370	353025	381096	7.5	28.2	22.5	7
371	352979	380998	7.5	28.2	22.5	7
372	353188	381001	0	28.9	22.8	8
373	353218	381059	0	28.5	22.7	7
374	353178	380856	0	29.6	23.2	8
375	353123	380771	0	31.3	24.1	10
376	353115	380696	4.5	32.4	24.7	12
377	353172	380651	4.5	31.7	24.3	11
378	352894	380755	4.5	28.5	22.6	7
379	352973	380739	4.5	29.3	23.0	8
380	352932	380741	4.5	28.5	22.6	7
381	353006	380712	4.5	29.9	23.3	9
382	353046	380644	4.5	29.5	23.1	8
383	353106	380589	7.5	28.7	22.7	8
384	353258	380607	1.5	32.3	24.6	11
385	352166	380506	1.5	29.0	22.7	8
386	352425	380323	1.5	30.4	23.4	9
387	352587	380601	1.5	30.6	23.6	9
388	352536	380551	4.5	30.8	23.7	9
389	352541	380494	4.5	30.7	23.6	9
390	352663	380336	1.5	35.7	26.0	15
391	352583	380437	4.5	31.4	23.9	10
392	352773	380204	1.5	38.5	27.5	19
393	352900	380104	1.5	36.9	26.8	17
394	352934	380065	1.5	37.5	27.2	18
395	352732	380451	1.5	31.5	24.2	11
396	352800	380352	1.5	31.3	24.0	10
397	352916	380388	1.5	30.2	23.5	9
398	353082	379955	1.5	37.7	27.6	20
399	353040	379977	1.5	37.7	27.6	19
400	353227	379834	1.5	36.7	27.0	18
401	353274	379820	1.5	38.3	27.9	20
402	353377	379899	1.5	34.7	25.7	14
403	353714	380151	1.5	33.5	25.2	13

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
404	353928	380036	1.5	36.5	27.1	18
405	354070	380082	1.5	35.6	26.9	17
406	353713	379732	1.5	43.6	30.7	30
407	353541	379703	1.5	43.9	31.0	31
408	353498	379661	1.5	39.4	28.4	22
409	353471	379581	1.5	35.5	26.3	16
410	353428	379187	1.5	33.2	25.7	14
411	353672	378987	1.5	26.2	21.3	5
412	353749	379838	1.5	48.9	34.0	45
413	354015	379821	1.5	49.7	34.6	48
414	353983	379731	1.5	46.5	32.6	38
415	354552	379699	1.5	46.3	32.3	37
416	354517	379579	1.5	40.4	28.7	23
417	354685	379647	1.5	52.0	36.0	55
418	354451	379419	1.5	28.8	22.4	7
419	353856	380363	1.5	35.8	26.7	17
420	353978	380368	1.5	33.0	25.2	13
421	354423	380201	1.5	32.9	24.9	12
422	354502	380164	1.5	33.1	25.0	12
423	354665	380091	1.5	33.3	25.1	13
424	354712	379931	1.5	33.5	25.0	12
425	354974	379985	1.5	34.3	25.5	14
426	355190	380005	1.5	34.1	25.4	13
427	355302	380099	1.5	32.7	24.8	12
428	354867	379699	1.5	37.9	27.3	19
433	356422	380605	1.5	50.7	35.2	51
434	356516	380693	1.5	46.7	32.5	37
435	356373.9	380816.6	1.5	31.1	23.5	9
436	355917.6	380433.0	1.5	31.0	23.6	9
437	356619.1	380990.9	1.5	34.9	25.5	14
438	354795.8	379705.7	1.5	38.8	27.8	20
439	354860.5	379750.2	1.5	36.6	26.7	17
440	354669.8	379711.6	1.5	40.3	28.7	23
441	352802.7	382648.0	1.5	28.0	22.5	7
442	352825.2	382662.9	1.5	31.6	24.2	11
443	353185.4	382529.1	1.5	30.4	24.0	10
444	353171.0	382438.8	1.5	33.3	25.8	14
445	353282.5	382483.3	1.5	32.1	25.2	13
446	353277.9	382441.8	1.5	32.7	25.5	14
447	353323.8	382423.6	1.5	29.5	23.6	9
448	353351.5	382451.0	1.5	30.6	24.2	11
449	353132.5	382428.7	1.5	30.2	23.9	10
450	353147.3	382357.7	1.5	28.8	23.1	8
451	353273.8	382307.5	1.5	29.9	23.7	10
452	353267.1	382175.4	1.5	30.4	24.0	10
453	353143.5	382111.1	1.5	28.3	22.8	8
454	353176.0	381790.9	1.5	29.8	23.5	9
455	353147.4	381717.3	1.5	29.9	23.6	9
456	353056.7	381716.3	1.5	30.0	23.8	10

457	352938.1	381642.1	1.5	29.3	22.5	7
458	353112.4	381594.2	4.5	28.3	22.7	7
459	353444.9	381807.1	1.5	29.7	23.3	9
460	353411.7	381868.8	1.5	29.5	23.2	8
461	353429.9	382047.4	1.5	29.0	22.8	8
462	353399.0	382107.5	1.5	27.9	22.4	7
463	353643.3	382335.3	1.5	28.8	22.4	7
464	353576.9	382320.8	1.5	27.7	21.9	6
465	353656.7	382577.8	1.5	27.3	21.6	6
466	353730.3	382577.1	1.5	27.1	21.5	5
467	353474.9	382709.3	1.5	28.5	22.2	7
468	353597.9	382728.6	1.5	27.7	21.8	6
469	353316.3	382565.3	1.5	30.1	23.9	10
470	353336.7	382620.9	1.5	28.7	23.0	8
471	353202.3	382619.7	1.5	28.4	22.9	8
472	353216.8	382755.7	1.5	29.3	22.4	7
473	353213.1	382829.8	1.5	28.1	22.6	7
474	353110.7	382864.1	1.5	29.3	22.4	7
475	352952.5	382881.1	1.5	28.9	22.3	7
476	352741.3	382933.9	1.5	29.2	23.1	8
477	353754.0	382966.9	1.5	38.3	27.8	20
478	355620.4	383241.9	1.5	26.7	21.5	6
479	355701.8	383355.5	1.5	27.0	21.6	6
480	355729.8	383261.2	1.5	25.4	21.0	5
481	355704.6	383174.8	1.5	24.7	20.8	4
482	355801.2	383657.7	1.5	26.5	21.3	5
486	355993.8	383521.1	1.5	26.9	21.5	5
487	356071.6	383616.8	1.5	30.9	23.8	10
488	356197.8	383668.2	1.5	29.7	23.1	8
489	356124.5	383709.8	1.5	31.2	24.0	10
490	356346.5	383683.0	1.5	26.9	21.4	5
491	356391.2	383747.3	1.5	30.6	23.6	9
492	356610.4	383786.0	1.5	29.0	22.6	7
493	356457.6	383610.2	1.5	24.9	20.8	4
494	356272.1	383536.4	1.5	26.1	21.3	5
495	356138.8	383276.2	1.5	23.3	20.2	4
496	356161.6	383348.4	1.5	24.0	20.5	4
497	356855.5	383769.8	1.5	30.4	23.2	9
498	357044.4	383951.8	1.5	25.0	20.8	4
499	357114.6	383535.2	1.5	24.2	20.5	4
500	357526.5	382163.6	1.5	25.1	20.8	5
501	353715.2	381843.9	1.5	28.1	22.9	8
502	353722.2	381820.2	1.5	28.5	22.3	7
503	353544.8	380812.9	1.5	29.2	23.0	8
504	353628.7	380963.6	1.5	28.9	22.2	7
505	353474.7	380690.4	1.5	29.6	23.2	8
506	352742.2	382315.3	1.5	28.3	22.2	7
507	352831.1	382324.3	1.5	28.3	22.2	7
508	354256.9	382931.5	1.5	25.8	21.1	5
509	354240.0	382947.1	1.5	25.9	21.1	5
510	354208.7	382894.1	1.5	25.7	21.1	5
511	354046.4	382901.3	1.5	26.5	21.4	5

512	357825.0	383040.8	1.5	28.6	22.5	7
513	358141.8	383212.6	1.5	29.9	23.4	9
514	358116.3	383236.3	1.5	28.6	22.1	6
515	357937.2	382871.2	1.5	30.9	23.6	9
516	351921.5	378419.6	1.5	38.5	27.3	19
517	351202.1	377924.1	1.5	50.6	34.7	48
518	351130.6	377997.2	1.5	45.9	31.7	34
548	352027.4	382823.0	4.5	29.3	23.0	8
WI1	353287.8	383665.1	1.5	24.0	20.5	4
WI2	353227.4	383625.1	1.5	24.3	20.5	4
WI4	353186.2	383601.7	1.5	24.4	20.6	4
WI3	353257.2	383645.3	1.5	24.1	20.5	4
WI5	353338.5	383686.1	1.5	23.9	20.4	4
WI6	353043.5	383518.2	1.5	25.0	20.8	4
WI7	353445.5	383736.9	1.5	23.7	20.4	4
WI8	353723.0	383827.2	1.5	23.4	20.2	4
WI9	352821.1	383425.9	1.5	25.9	21.1	5
WI10	354614.6	384130.9	1.5	22.3	19.9	3
WI11	353297.2	383592.7	1.5	24.3	20.6	4

Table A 2 – Predicted NO₂ and PM₁₀ Concentrations, Do-Minimum (2015)

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
HBC6	2.5	351823	386057	27.6	21.9	6
HBC1	2.5	351775	386100	25.4	20.8	4
HBC2	2.5	351727	386127	26.4	21.2	5
HBC3	2.5	351678	386129	23.7	19.4	3
HBC4	2.5	351788	386069	24.2	20.2	4
HBC5	2.5	351801	386073	28.7	22.6	7
V8	2.5	351801	386061	25.0	20.6	4
HBC9	2.5	351779	386090	28.1	22.3	7
HBC10	2.5	350693	385351	23.6	19.7	3
HBC13	2.5	352037	386316	24.9	20.7	4
HBC14	2.5	352049	386326	26.0	21.3	5
HBC15	2.5	352045	386289	28.1	22.4	7
V14	2.5	351387	385645	23.4	19.6	3
V15	2.5	351342	385626	24.0	19.9	3
HBC18	2.5	351137	382679	28.2	21.5	5
MG1	2.5	351090	383944	25.4	20.3	4
V18	8.5	351053	383880	32.5	23.4	9
V19	8.5	351031	383912	28.5	21.6	6
MG4	2.5	351055	384052	27.4	21.3	5
MG5	2.5	351069	384014	26.6	20.9	5
MG6	2.5	351059	383836	25.1	20.1	4
MG7	2.5	350957	383019	26.5	20.6	4
MG8	2.5	350923	383057	28.1	21.1	5
MG9	2.5	350826	383019	24.6	19.9	3
MG10	5.5	350834	382982	24.7	20.0	3
MG11	2.5	350193	381358	23.9	19.2	2
HBC0	2.5	350661	385222	24.5	20.0	3
MG15	2.5	350696	384933	33.9	24.0	10
MG16	2.5	351326	384999	27.9	20.8	4
MG17	2.5	353187	382824	22.6	18.9	2
MG18	5.5	352851	380859	23.0	18.9	2
MG19	5.5	352563	380535	23.1	19.3	3
MG20	2.5	356146	383641	23.8	19.3	3
V35	2.5	350263	381255	33.9	24.4	11
MG22	8.5	352023	382867	24.3	19.7	3
MG23	8.5	352088	382890	23.8	19.5	3
1	1.5	347517	388892	23.9	19.6	3
2	1.5	347905	389085	18.3	17.5	1
3	1.5	347712	388845	23.5	19.4	3
4	1.5	347671	388535	18.3	17.5	1
5	1.5	347644	388391	18.2	17.5	1
6	1.5	348116	388644	19.7	18.1	1
7	1.5	348797	388238	23.8	19.0	2
8	1.5	349257	388222	23.7	19.0	2
9	1.5	349326	388236	24.8	19.8	3
10	1.5	348420	388088	19.3	17.7	1
11	1.5	349399	388261	24.4	20.0	3
12	1.5	349747	388364	22.2	18.9	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
13	1.5	349910	388360	23.4	19.2	2
14	1.5	350563	388381	21.7	18.7	2
15	1.5	350919	388380	23.1	19.4	3
16	1.5	350935	388353	21.5	18.8	2
17	1.5	351049	388372	23.7	19.8	3
18	1.5	351136	388383	23.8	20.4	4
19	1.5	351187	388375	21.2	18.8	2
20	1.5	351214	388418	21.7	19.1	2
21	1.5	351514	388403	19.9	18.2	2
22	1.5	351615	388424	21.4	18.6	2
23	1.5	352173	388104	22.3	18.9	2
24	1.5	352528	388148	23.2	19.8	3
25	1.5	352294	388057	23.2	19.3	3
26	1.5	351006	388294	22.1	19.2	2
27	1.5	349407	388201	22.2	18.9	2
28	1.5	349724	387531	20.1	18.2	2
29	1.5	352548	387886	25.3	20.7	4
30	1.5	352882	387866	20.2	18.2	2
31	1.5	352742	387523	21.5	18.9	2
32	1.5	352422	386754	24.1	19.6	3
33	1.5	352300	386724	24.6	20.4	4
34	1.5	352329	386280	25.6	20.4	4
35	4.5	352279	386432	24.1	19.4	3
36	1.5	352560	386458	24.3	19.8	3
37	1.5	352554	386442	23.5	19.5	3
38	1.5	351872	385602	26.1	20.6	4
39	1.5	351695	385075	27.8	21.0	5
40	1.5	351534	385048	25.4	20.0	3
41	1.5	351183	384375	25.2	20.2	4
42	1.5	351086	384310	26.0	20.6	4
43	4.5	351054	384296	26.2	20.6	4
44	1.5	351030	384252	29.6	22.3	7
45	1.5	351035	384183	30.6	23.0	8
46	1.5	351080	383891	24.7	20.0	3
47	1.5	351048	384151	29.3	22.3	7
48	4.5	351061	384051	29.2	22.3	7
49	4.5	351072	383950	27.9	21.5	5
50	1.5	351069	383918	25.0	20.1	4
51	1.5	351086	383771	24.1	19.7	3
52	1.5	351072	383733	24.1	19.7	3
53	1.5	351054	383756	24.1	19.7	3
54	1.5	351085	383904	24.8	20.0	3
55	1.5	351127	383878	24.0	19.7	3
56	1.5	351142	383777	23.4	19.4	3
57	1.5	351127	383715	23.5	19.4	3
58	1.5	351176	383719	24.0	19.2	3
59	4.5	351071	383994	28.3	21.8	6
60	4.5	351061	384083	29.0	22.2	7
61	1.5	351099	384090	25.7	20.5	4

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
62	1.5	350984	383858	23.2	19.3	3
63	1.5	350711	384447	24.2	19.7	3
64	4.5	351061	384099	29.0	22.2	7
65	1.5	349929	385002	23.1	18.8	2
66	1.5	348397	385347	21.7	18.4	2
67	1.5	348298	385236	24.3	19.6	3
68	1.5	349080	385171	23.2	19.2	3
69	1.5	349256	385356	22.8	18.9	2
70	1.5	349298	385359	23.7	19.9	3
71	1.5	349410	385524	24.2	19.4	3
72	1.5	349620	385772	23.0	19.0	2
73	1.5	349645	385778	22.9	18.9	2
74	1.5	349920	385941	23.2	19.6	3
75	1.5	349904	385927	22.1	18.8	2
76	1.5	350768	385274	26.1	21.0	5
77	1.5	349033	385512	20.9	18.4	2
78	1.5	349069	385476	20.5	18.2	2
79	1.5	348502	385636	22.4	19.1	2
80	1.5	348417	385653	20.9	18.4	2
81	1.5	348400	385991	21.6	18.8	2
82	1.5	348422	386002	22.6	19.2	2
83	1.5	348534	386348	23.8	19.5	3
84	1.5	348549	386364	23.7	19.3	3
85	1.5	348480	386431	22.8	19.1	2
86	1.5	348383	386486	21.1	18.5	2
87	1.5	348365	386521	23.5	19.4	3
88	1.5	348881	386303	21.8	18.5	2
89	1.5	348889	386269	20.4	18.1	1
90	1.5	349549	386212	22.0	18.7	2
91	1.5	349662	386261	23.6	19.3	3
92	1.5	349821	386329	24.9	21.2	5
93	1.5	349798	386300	24.6	20.7	4
94	1.5	349827	386270	25.7	21.3	5
95	1.5	349744	386115	23.7	20.1	4
96	1.5	349729	385975	28.0	22.5	7
97	1.5	349728	385958	24.0	20.1	4
98	1.5	349800	385956	23.5	19.3	3
99	1.5	349799	385970	23.4	19.8	3
100	1.5	349752	386041	24.2	20.4	4
101	1.5	350174	385714	22.5	18.9	2
102	1.5	350403	385588	23.4	19.2	3
103	1.5	350802	385267	24.1	20.0	3
104	1.5	350876	385263	23.5	19.7	3
105	1.5	350959	385255	24.6	20.3	4
106	1.5	351266	385612	23.5	19.5	3
107	1.5	351159	385573	22.3	19.0	2
108	1.5	350961	385497	22.7	19.1	2
109	1.5	350950	385515	24.0	19.7	3
110	1.5	351323	385646	23.4	20.0	3

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
111	1.5	351356	385667	22.8	19.1	2
112	1.5	351347	385935	23.2	19.6	3
113	1.5	351303	385948	22.1	19.1	2
114	1.5	351313	386172	23.5	19.6	3
115	1.5	351318	386224	23.8	19.7	3
116	1.5	351373	386229	23.3	20.1	3
117	1.5	351397	386201	23.8	20.2	4
118	1.5	351401	386168	23.6	19.6	3
119	1.5	350775	385376	23.3	19.7	3
120	1.5	350808	385378	23.5	19.9	3
121	1.5	350866	385522	23.4	20.0	3
122	1.5	350842	385531	22.6	19.1	2
123	1.5	350862	385789	21.0	18.6	2
124	1.5	350881	385779	21.6	18.9	2
125	1.5	350118	386343	25.8	20.8	4
126	1.5	350275	386296	22.7	19.0	2
127	1.5	350916	386257	23.3	19.6	3
128	1.5	350913	386209	23.1	19.4	3
129	1.5	351081	386236	22.8	19.2	2
130	1.5	351074	386201	22.8	19.2	2
131	1.5	351540	386332	22.0	18.9	2
132	1.5	351405	386349	21.9	18.9	2
133	1.5	351422	386286	21.2	18.6	2
134	1.5	351371	386371	22.1	19.1	2
135	1.5	351694	386141	26.2	21.1	5
136	1.5	351740	386104	24.2	20.1	4
137	1.5	351836	386075	25.6	20.6	4
138	1.5	351847	386040	26.8	21.4	5
139	1.5	351887	386132	26.2	21.0	5
140	1.5	352015	386287	24.8	20.3	4
141	1.5	352020	386265	25.1	20.4	4
142	1.5	352068	386299	27.8	22.2	7
143	1.5	352103	386332	26.4	20.9	5
144	1.5	352180	386302	23.9	19.8	3
145	4.5	352248	386344	25.2	20.3	4
146	1.5	351251	388716	20.6	18.7	2
147	1.5	351197	384929	33.4	23.4	9
148	1.5	351180	384928	30.8	22.3	7
149	1.5	351161	384995	30.3	22.1	6
150	1.5	351175	384994	32.3	22.9	8
151	1.5	351346	385012	26.8	20.5	4
152	1.5	351201	385164	24.4	19.8	3
153	1.5	351256	385194	24.7	20.1	3
154	1.5	351287	385266	26.9	21.6	6
155	1.5	351310	385395	25.3	20.4	4
156	1.5	351254	385434	23.3	19.2	2
157	1.5	351407	385350	24.1	20.2	4
158	1.5	351393	385298	23.8	20.1	4
159	1.5	351478	385473	24.7	20.4	4

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
160	1.5	351517	385287	24.2	20.6	4
161	1.5	351507	385276	23.1	19.9	3
162	1.5	351759	385633	24.6	19.8	3
163	4.5	350924	383249	27.1	21.1	5
164	4.5	350919	383218	26.9	21.1	5
165	4.5	350913	383189	27.1	21.1	5
166	4.5	350850	383218	26.3	20.7	4
167	4.5	350887	383173	29.3	22.2	7
168	4.5	350827	383148	24.9	20.1	3
169	4.5	350830	383103	25.1	20.1	4
170	4.5	350893	383087	29.8	22.2	7
171	4.5	350905	383062	29.6	22.0	6
172	4.5	350849	383065	26.3	20.6	4
173	4.5	350938	383019	28.1	21.3	5
174	4.5	350963	383001	27.2	21.0	5
175	4.5	350814	383013	24.2	19.7	3
176	4.5	350839	382994	25.0	20.2	4
177	1.5	350791	383092	24.6	19.7	3
178	1.5	350789	383006	25.2	19.9	3
179	1.5	350802	383203	24.0	19.6	3
180	4.5	350924	382989	27.4	21.1	5
181	1.5	350964	382914	27.1	21.0	5
182	4.5	350998	382909	26.5	20.7	4
183	1.5	350942	382747	26.5	21.0	5
184	4.5	351028	382766	25.8	20.5	4
185	1.5	350999	382746	26.1	20.7	4
186	1.5	351096	383015	29.2	21.4	5
187	1.5	351105	383024	27.5	20.8	4
188	1.5	351095	382975	31.0	22.3	7
189	1.5	351094	382947	31.5	22.6	7
190	4.5	351051	382928	26.8	20.7	4
191	4.5	351064	382923	26.7	20.7	4
192	1.5	351110	382958	33.1	23.2	8
193	1.5	351098	383134	25.0	19.9	3
194	1.5	350999	383149	25.1	20.1	3
195	1.5	350994	383229	24.8	20.0	3
196	1.5	350984	383167	25.3	20.2	4
197	1.5	351127	383211	23.7	19.5	3
198	1.5	351190	383114	25.0	19.8	3
199	1.5	351198	383103	24.4	19.7	3
200	1.5	351368	383193	23.5	19.0	2
201	1.5	351473	383075	25.2	19.9	3
202	1.5	351485	383068	24.9	19.9	3
203	1.5	351444	383035	24.7	20.1	3
204	1.5	351430	383007	25.3	20.2	4
205	1.5	351333	382970	25.2	20.0	3
206	1.5	351250	382968	26.9	20.7	4
207	1.5	351547	383009	24.2	19.7	3
208	1.5	351618	382980	24.2	19.7	3

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
209	1.5	351662	382906	23.3	19.2	3
210	1.5	351495	382866	24.5	19.7	3
211	1.5	351453	382922	24.5	19.6	3
212	1.5	351796	383003	26.4	20.5	4
213	1.5	351829	383060	24.1	19.1	2
214	1.5	351735	383026	23.4	19.3	3
215	1.5	351870	383178	21.5	18.4	2
216	1.5	351851	383083	22.9	18.8	2
217	1.5	352021	383091	22.4	18.6	2
218	1.5	352106	382988	24.0	19.2	2
219	1.5	352061	382930	23.9	19.6	3
220	1.5	351939	382911	24.8	20.1	3
221	1.5	351881	382926	25.0	20.0	3
222	1.5	351959	382885	24.3	19.8	3
223	4.5	352060	382864	23.4	19.4	3
224	1.5	351911	382756	24.6	19.9	3
225	1.5	351768	382749	26.3	20.5	4
226	1.5	351661	382810	23.3	19.4	3
227	1.5	351604	382593	23.9	19.8	3
228	1.5	351513	382664	25.6	20.5	4
229	1.5	351173	382753	28.8	21.8	6
230	1.5	351144	382717	29.6	22.1	7
231	1.5	351132	382689	28.5	21.7	6
232	1.5	351090	382667	29.3	22.2	7
233	4.5	351009	382626	24.8	20.2	4
234	1.5	352142	382853	24.3	19.9	3
235	1.5	352244	382828	23.3	19.4	3
236	1.5	351788	382659	27.8	21.2	5
237	1.5	351797	382556	24.6	19.9	3
238	1.5	351808	382487	25.3	20.4	4
239	1.5	351778	382469	26.0	20.7	4
240	1.5	352011	382335	23.3	19.1	2
241	1.5	352020	382306	22.7	18.9	2
242	1.5	351907	382337	23.6	19.5	3
243	1.5	352102	382164	23.9	19.2	2
244	1.5	352334	382063	22.7	18.9	2
245	1.5	352257	382087	22.9	18.9	2
246	1.5	351862	382407	23.8	19.7	3
247	1.5	351699	382438	22.9	18.9	2
248	1.5	351742	382340	24.0	19.8	3
249	1.5	351659	382309	23.4	19.1	2
250	1.5	351802	382347	24.2	19.4	3
251	1.5	351903	382108	20.8	18.3	2
252	1.5	351722	382031	21.7	18.6	2
253	1.5	351737	381927	22.7	19.0	2
254	1.5	351808	381932	21.8	18.6	2
255	1.5	351910	381765	20.7	18.2	2
256	1.5	351892	381644	20.5	18.1	1
257	1.5	351905	381596	20.1	18.0	1

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
258	1.5	351648	381822	22.1	18.9	2
259	1.5	351674	381877	22.0	18.8	2
260	1.5	351659	381908	21.6	18.5	2
261	1.5	351543	382292	22.1	18.7	2
262	1.5	351367	382295	21.8	18.7	2
263	1.5	351523	382540	23.8	19.2	2
264	1.5	351480	382560	24.1	19.2	3
265	1.5	351139	382524	24.5	19.8	3
266	1.5	351103	382303	23.1	19.1	2
267	1.5	351125	382278	21.9	18.7	2
268	1.5	351049	382272	24.1	20.2	4
269	1.5	350629	382822	24.0	19.7	3
270	1.5	350513	382811	24.9	19.6	3
271	1.5	350722	382898	24.9	19.9	3
272	1.5	350731	382843	27.5	21.5	6
273	1.5	350136	382162	23.7	19.2	2
274	1.5	350123	382109	24.7	19.9	3
275	1.5	350120	382026	26.1	20.7	4
276	1.5	350140	382071	24.1	19.7	3
277	1.5	350206	381889	24.5	19.9	3
278	1.5	350245	381649	25.6	20.3	4
279	1.5	350278	381588	24.2	19.6	3
280	1.5	350262	381544	24.9	19.9	3
281	1.5	350264	381406	24.3	19.7	3
282	1.5	350315	381455	23.4	19.2	3
283	1.5	350397	381584	22.2	18.6	2
284	1.5	350421	381539	22.1	18.5	2
285	1.5	350491	381849	20.3	18.0	1
286	1.5	350624	382069	19.7	17.9	1
287	1.5	350817	382126	20.1	18.0	1
288	1.5	350811	382163	20.9	18.2	2
289	1.5	350745	382231	20.4	18.1	1
290	1.5	350828	382275	20.0	18.0	1
291	1.5	350951	382185	21.7	18.5	2
292	1.5	351013	382209	22.3	18.7	2
293	1.5	350840	382584	22.3	18.9	2
294	1.5	350772	382681	23.6	19.3	3
295	1.5	350782	382650	23.0	19.1	2
296	1.5	350807	382656	23.5	19.3	3
297	1.5	350628	382577	22.3	18.8	2
298	1.5	350230	382123	22.5	18.7	2
299	1.5	350302	382131	21.0	18.3	2
300	1.5	350239	382056	23.1	19.2	2
301	1.5	350224	381971	23.7	19.1	2
302	1.5	350476	381360	22.0	18.5	2
303	1.5	350479	381101	22.4	18.6	2
304	1.5	350504	381055	23.1	18.8	2
305	1.5	350373	381041	24.6	19.9	3
306	1.5	350670	380498	27.2	20.8	4

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
307	1.5	350805	380559	23.2	19.2	2
308	1.5	350677	380775	23.1	18.8	2
309	1.5	350860	380527	24.1	19.5	3
310	1.5	350851	380563	23.4	19.3	3
311	1.5	350842	380734	23.7	19.4	3
312	1.5	350842	380660	23.7	19.0	2
313	1.5	350896	380924	21.6	18.4	2
314	1.5	350919	380899	22.1	18.5	2
315	1.5	351166	381332	20.8	18.3	2
316	1.5	351362	381559	23.1	19.8	3
317	1.5	351336	381545	22.4	19.0	2
318	1.5	351390	381512	22.1	18.9	2
319	1.5	351274	381753	21.6	18.7	2
320	1.5	351255	381708	20.7	18.3	2
321	1.5	351041	381966	20.3	18.1	2
322	1.5	350898	382120	21.5	18.4	2
323	1.5	351259	382044	20.1	18.1	1
324	1.5	351249	382033	20.0	18.0	1
325	1.5	351415	381872	20.1	18.1	1
326	1.5	351385	381871	20.0	18.1	1
327	1.5	351411	381596	22.9	19.3	3
328	1.5	351496	381625	21.3	18.6	2
329	1.5	350964	382387	23.2	19.4	3
330	1.5	350963	382369	22.2	19.0	2
331	1.5	350903	380310	29.7	21.9	6
332	1.5	350995	380392	25.9	20.3	4
333	1.5	352208	380552	23.3	19.0	2
334	1.5	352266	380623	23.3	19.0	2
335	1.5	352230	380693	23.5	19.1	2
336	1.5	352103	380709	22.2	18.7	2
337	1.5	351964	380829	22.9	19.0	2
338	1.5	351710	380995	20.7	18.3	2
339	1.5	351548	381137	22.5	19.1	2
340	1.5	352235	381390	20.7	18.1	2
341	1.5	352192	381328	20.7	18.1	1
342	1.5	352211	381308	20.9	18.2	2
343	1.5	352483	380894	21.8	18.5	2
344	1.5	352581	380837	22.3	18.7	2
345	1.5	352899	381107	22.6	18.8	2
346	1.5	352790	381334	22.6	19.0	2
347	1.5	352681	381399	21.2	18.4	2
348	1.5	352673	381564	21.5	18.5	2
349	1.5	352554	381617	21.1	18.4	2
350	1.5	352328	381602	21.6	18.6	2
351	1.5	352240	381921	22.6	18.9	2
352	1.5	352233	381855	21.3	18.5	2
353	1.5	352649	381873	22.9	18.9	2
354	1.5	352482	381876	21.2	18.4	2
355	1.5	352888	381551	22.3	18.9	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
356	1.5	352912	381563	22.2	18.9	2
357	4.5	353144	381572	23.2	19.1	2
358	4.5	353152	381501	23.4	19.1	2
359	4.5	353113	381385	23.0	18.9	2
360	4.5	352657	380746	23.7	19.2	2
361	4.5	352749	380712	23.4	19.1	2
362	4.5	352730	380787	23.8	19.2	2
363	4.5	352837	380753	23.1	19.0	2
364	4.5	352828	380832	23.7	19.2	2
365	7.5	352876	380854	22.8	18.9	2
366	10.5	352930	380889	21.7	18.5	2
367	10.5	352959	380938	21.7	18.5	2
368	7.5	352994	381041	22.7	18.9	2
369	7.5	353049	381138	22.7	18.9	2
370	7.5	353025	381096	22.7	18.9	2
371	7.5	352979	380998	22.8	18.9	2
372	0	353188	381001	23.3	19.1	2
373	0	353218	381059	23.0	19.0	2
374	0	353178	380856	23.9	19.3	3
375	0	353123	380771	24.1	19.8	3
376	4.5	353115	380696	24.8	20.2	4
377	4.5	353172	380651	24.3	20.0	3
378	4.5	352894	380755	23.1	18.9	2
379	4.5	352973	380739	23.7	19.2	2
380	4.5	352932	380741	23.1	19.0	2
381	4.5	353006	380712	23.1	19.4	3
382	4.5	353046	380644	23.9	19.3	3
383	7.5	353106	380589	23.2	19.0	2
384	1.5	353258	380607	24.7	20.1	4
385	1.5	352166	380506	23.6	19.0	2
386	1.5	352425	380323	23.5	19.4	3
387	1.5	352587	380601	23.7	19.5	3
388	4.5	352536	380551	23.8	19.6	3
389	4.5	352541	380494	23.6	19.5	3
390	1.5	352663	380336	27.0	20.8	4
391	4.5	352583	380437	24.1	19.7	3
392	1.5	352773	380204	28.9	21.6	6
393	1.5	352900	380104	27.8	21.1	5
394	1.5	352934	380065	28.2	21.3	5
395	1.5	352732	380451	24.2	19.8	3
396	1.5	352800	380352	24.0	19.6	3
397	1.5	352916	380388	23.3	19.4	3
398	1.5	353082	379955	28.2	21.4	5
399	1.5	353040	379977	28.3	21.5	5
400	1.5	353227	379834	26.6	20.1	4
401	1.5	353274	379820	27.6	20.5	4
402	1.5	353377	379899	25.1	19.4	3
403	1.5	353714	380151	25.3	20.1	4
404	1.5	353928	380036	27.2	21.0	5

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
405	1.5	354070	380082	26.6	21.0	5
406	1.5	353713	379732	30.8	21.5	6
407	1.5	353541	379703	31.1	21.8	6
408	1.5	353498	379661	28.3	20.7	4
409	1.5	353471	379581	25.9	19.8	3
410	1.5	353428	379187	25.1	20.1	4
411	1.5	353672	378987	19.9	17.5	1
412	1.5	353749	379838	34.2	23.0	8
413	1.5	354015	379821	34.7	23.2	9
414	1.5	353983	379731	32.8	22.4	7
415	1.5	354552	379699	32.4	22.1	7
416	1.5	354517	379579	28.8	20.6	4
417	1.5	354685	379647	36.1	23.8	10
418	1.5	354451	379419	21.4	17.8	1
419	1.5	353856	380363	26.9	21.1	5
420	1.5	353978	380368	25.0	20.2	4
421	1.5	354423	380201	24.8	20.0	3
422	1.5	354502	380164	24.9	20.0	3
423	1.5	354665	380091	25.0	20.0	3
424	1.5	354712	379931	25.1	19.9	3
425	1.5	354974	379985	25.6	20.2	4
426	1.5	355190	380005	25.5	20.1	4
427	1.5	355302	380099	24.7	19.9	3
428	1.5	354867	379699	27.1	20.0	3
433	1.5	356422	380605	35.4	23.4	9
434	1.5	356516	380693	32.7	22.2	7
435	1.5	356374	380817	22.6	18.1	2
436	1.5	355918	380433	23.4	19.1	2
437	1.5	356619	380991	25.0	19.0	2
438	1.5	354796	379706	27.7	20.2	4
439	1.5	354861	379750	26.4	19.8	3
440	1.5	354670	379712	28.7	20.6	4
441	1.5	352803	382648	22.3	18.7	2
442	1.5	352825	382663	23.7	19.5	3
443	1.5	353185	382529	23.5	19.7	3
444	1.5	353171	382439	25.3	20.6	4
445	1.5	353283	382483	24.9	20.5	4
446	1.5	353278	382442	25.1	20.5	4
447	1.5	353324	382424	24.1	19.5	3
448	1.5	353352	382451	23.8	19.9	3
449	1.5	353133	382429	23.3	19.6	3
450	1.5	353147	382358	23.4	19.2	3
451	1.5	353274	382308	23.3	19.6	3
452	1.5	353267	382175	23.8	19.9	3
453	1.5	353144	382111	23.1	19.1	2
454	1.5	353176	381791	24.2	19.5	3
455	1.5	353147	381717	24.1	19.5	3
456	1.5	353057	381716	23.9	19.5	3
457	1.5	352938	381642	22.2	18.8	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
458	4.5	353112	381594	22.7	18.9	2
459	1.5	353445	381807	24.0	19.3	3
460	1.5	353412	381869	23.8	19.2	2
461	1.5	353430	382047	23.2	18.9	2
462	1.5	353399	382108	22.5	18.8	2
463	1.5	353643	382335	22.2	18.9	2
464	1.5	353577	382321	21.5	18.5	2
465	1.5	353657	382578	21.1	18.3	2
466	1.5	353730	382577	20.9	18.2	2
467	1.5	353475	382709	22.3	18.8	2
468	1.5	353598	382729	21.7	18.6	2
469	1.5	353316	382565	23.6	19.8	3
470	1.5	353337	382621	23.6	19.3	3
471	1.5	353202	382620	23.3	19.2	2
472	1.5	353217	382756	22.8	19.0	2
473	1.5	353213	382830	23.1	19.0	2
474	1.5	353111	382864	22.8	18.9	2
475	1.5	352952	382881	22.5	18.8	2
476	1.5	352741	382934	24.1	19.3	3
477	1.5	353754	382967	29.6	22.2	7
478	1.5	355620	383242	21.4	18.5	2
479	1.5	355702	383356	21.6	18.5	2
480	1.5	355730	383261	20.3	18.2	2
481	1.5	355705	383175	19.9	18.1	1
482	1.5	355801	383658	21.1	18.4	2
486	1.5	355994	383521	21.4	18.5	2
487	1.5	356072	383617	24.4	20.0	3
488	1.5	356198	383668	23.5	19.6	3
489	1.5	356125	383710	24.7	20.1	4
490	1.5	356346	383683	21.5	18.5	2
491	1.5	356391	383747	24.2	19.8	3
492	1.5	356610	383786	23.8	19.0	2
493	1.5	356458	383610	20.3	18.2	2
494	1.5	356272	383536	20.7	18.4	2
495	1.5	356139	383276	18.8	17.7	1
496	1.5	356162	383348	19.3	17.9	1
497	1.5	356856	383770	23.9	19.5	3
498	1.5	357044	383952	20.6	18.2	2
499	1.5	357115	383535	19.5	17.9	1
500	1.5	357527	382164	20.1	18.2	2
501	1.5	353715	381844	22.6	19.1	2
502	1.5	353722	381820	21.9	18.8	2
503	1.5	353545	380813	23.3	19.0	2
504	1.5	353629	380964	22.0	18.6	2
505	1.5	353475	380690	23.7	19.2	2
506	1.5	352742	382315	21.8	18.7	2
507	1.5	352831	382324	21.8	18.7	2
508	1.5	354257	382931	20.5	18.2	2
509	1.5	354240	382947	20.5	18.2	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
510	1.5	354209	382894	20.3	18.2	2
511	1.5	354046	382901	20.9	18.3	2
512	1.5	357825	383041	24.1	19.3	3
513	1.5	358142	383213	23.6	19.7	3
514	1.5	358116	383236	22.4	18.8	2
515	1.5	357937	382871	24.2	19.8	3
516	1.5	351922	378420	27.6	19.8	3
517	1.5	351202	377924	35.5	23.2	8
518	1.5	351131	377997	32.5	21.8	6
548	4.5	352027	382823	23.7	19.1	2
WI1	1.5	353288	383665	19.2	17.8	1
WI2	1.5	353227	383625	19.3	17.8	1
WI4	1.5	353186	383602	19.4	17.8	1
WI3	1.5	353257	383645	19.2	17.8	1
WI5	1.5	353339	383686	19.1	17.7	1
WI6	1.5	353044	383518	19.8	17.9	1
WI7	1.5	353446	383737	19.0	17.7	1
WI8	1.5	353723	383827	18.8	17.6	1
WI9	1.5	352821	383426	20.3	18.1	1
WI0	1.5	354615	384131	18.1	17.5	1
WI11	1.5	353297	383593	19.4	17.8	1

Table A 3 – Predicted NO₂ and PM₁₀ Concentrations, Do-Something (2015)

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
HBC6	2.5	351823	386057	27.9	22.0	6
HBC1	2.5	351775	386100	25.7	21.0	5
HBC2	2.5	351727	386127	26.7	21.4	5
HBC3	2.5	351678	386129	24.1	19.5	3
HBC4	2.5	351788	386069	24.5	20.3	4
HBC5	2.5	351801	386073	29.0	22.8	8
V8	2.5	351801	386061	25.3	20.7	4
HBC9	2.5	351779	386090	28.5	22.5	7
HBC10	2.5	350693	385351	23.1	19.5	3
HBC13	2.5	352037	386316	25.1	20.8	4
HBC14	2.5	352049	386326	26.4	21.5	5
HBC15	2.5	352045	386289	28.2	22.5	7
V14	2.5	351387	385645	23.7	19.6	3
V15	2.5	351342	385626	24.2	19.9	3
HBC18	2.5	351137	382679	23.6	19.0	2
MG1	2.5	351090	383944	20.9	18.1	1
V18	8.5	351053	383880	24.0	18.8	2
V19	8.5	351031	383912	22.2	18.4	2
MG4	2.5	351055	384052	21.8	18.3	2
MG5	2.5	351069	384014	21.4	18.2	2
MG6	2.5	351059	383836	20.5	18.0	1
MG7	2.5	350957	383019	21.5	18.1	2
MG8	2.5	350923	383057	23.2	18.4	2
MG9	2.5	350826	383019	21.0	18.0	1
MG10	5.5	350834	382982	20.4	17.9	1
MG11	2.5	350193	381358	19.1	17.7	1
HBC0	2.5	350661	385222	23.5	19.5	3
MG15	2.5	350696	384933	26.1	20.5	4
MG16	2.5	351326	384999	29.0	21.3	5
MG17	2.5	353187	382824	23.6	19.1	2
MG18	5.5	352851	380859	23.1	19.2	3
MG19	5.5	352563	380535	23.7	19.4	3
MG20	2.5	356146	383641	23.6	19.1	2
V35	2.5	350263	381255	23.6	19.1	2
MG22	8.5	352023	382867	21.5	18.3	2
MG23	8.5	352088	382890	21.3	18.2	2
1	1.5	347517	388892	23.9	19.6	3
2	1.5	347905	389085	18.2	17.5	1
3	1.5	347712	388845	23.6	19.4	3
4	1.5	347671	388535	18.2	17.5	1
5	1.5	347644	388391	18.1	17.5	1
6	1.5	348116	388644	19.7	18.1	1
7	1.5	348797	388238	23.9	19.0	2
8	1.5	349257	388222	23.9	19.0	2
9	1.5	349326	388236	25.1	19.8	3
10	1.5	348420	388088	19.2	17.7	1
11	1.5	349399	388261	24.7	20.1	4

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
12	1.5	349747	388364	22.4	19.0	2
13	1.5	349910	388360	23.7	19.2	3
14	1.5	350563	388381	21.9	18.7	2
15	1.5	350919	388380	23.4	19.4	3
16	1.5	350935	388353	21.7	18.8	2
17	1.5	351049	388372	24.0	19.9	3
18	1.5	351136	388383	24.0	20.5	4
19	1.5	351187	388375	21.4	18.8	2
20	1.5	351214	388418	22.0	19.1	2
21	1.5	351514	388403	20.1	18.2	2
22	1.5	351615	388424	21.6	18.7	2
23	1.5	352173	388104	22.4	19.0	2
24	1.5	352528	388148	23.2	19.7	3
25	1.5	352294	388057	23.3	19.3	3
26	1.5	351006	388294	22.3	19.2	3
27	1.5	349407	388201	22.3	18.9	2
28	1.5	349724	387531	20.1	18.2	2
29	1.5	352548	387886	25.4	20.7	4
30	1.5	352882	387866	20.3	18.2	2
31	1.5	352742	387523	21.5	18.9	2
32	1.5	352422	386754	23.1	19.6	3
33	1.5	352300	386724	24.6	20.2	4
34	1.5	352329	386280	25.9	20.6	4
35	4.5	352279	386432	23.1	19.5	3
36	1.5	352560	386458	24.3	19.8	3
37	1.5	352554	386442	23.6	19.6	3
38	1.5	351872	385602	26.7	20.9	5
39	1.5	351695	385075	28.7	21.4	5
40	1.5	351534	385048	26.5	20.4	4
41	1.5	351183	384375	23.8	19.5	3
42	1.5	351086	384310	23.7	18.9	2
43	4.5	351054	384296	22.3	18.5	2
44	1.5	351030	384252	22.0	18.4	2
45	1.5	351035	384183	21.8	18.3	2
46	1.5	351080	383891	20.5	18.0	1
47	1.5	351048	384151	21.6	18.3	2
48	4.5	351061	384051	22.6	18.6	2
49	4.5	351072	383950	22.0	18.4	2
50	1.5	351069	383918	20.6	18.0	1
51	1.5	351086	383771	20.2	17.9	1
52	1.5	351072	383733	20.1	17.9	1
53	1.5	351054	383756	20.0	17.9	1
54	1.5	351085	383904	20.6	18.0	1
55	1.5	351127	383878	20.3	17.9	1
56	1.5	351142	383777	20.0	17.8	1
57	1.5	351127	383715	19.9	17.8	1
58	1.5	351176	383719	19.7	17.8	1
59	4.5	351071	383994	22.2	18.4	2
60	4.5	351061	384083	22.4	18.5	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
61	1.5	351099	384090	20.9	18.1	1
62	1.5	350984	383858	19.8	17.8	1
63	1.5	350711	384447	21.3	18.2	2
64	4.5	351061	384099	22.2	18.5	2
65	1.5	349929	385002	22.5	18.6	2
66	1.5	348397	385347	21.0	18.2	2
67	1.5	348298	385236	23.6	19.2	3
68	1.5	349080	385171	23.8	19.0	2
69	1.5	349256	385356	22.3	18.7	2
70	1.5	349298	385359	24.1	19.5	3
71	1.5	349410	385524	23.5	19.1	2
72	1.5	349620	385772	23.0	19.0	2
73	1.5	349645	385778	22.8	19.0	2
74	1.5	349920	385941	23.2	19.6	3
75	1.5	349904	385927	21.8	18.7	2
76	1.5	350768	385274	25.5	20.8	4
77	1.5	349033	385512	20.4	18.2	2
78	1.5	349069	385476	20.0	18.0	1
79	1.5	348502	385636	21.6	18.8	2
80	1.5	348417	385653	20.3	18.2	2
81	1.5	348400	385991	21.2	18.6	2
82	1.5	348422	386002	22.1	19.0	2
83	1.5	348534	386348	23.5	19.3	3
84	1.5	348549	386364	23.5	19.2	2
85	1.5	348480	386431	22.4	18.9	2
86	1.5	348383	386486	20.8	18.3	2
87	1.5	348365	386521	23.2	19.2	2
88	1.5	348881	386303	21.7	18.5	2
89	1.5	348889	386269	20.2	18.1	1
90	1.5	349549	386212	21.9	18.8	2
91	1.5	349662	386261	23.7	19.4	3
92	1.5	349821	386329	24.7	21.1	5
93	1.5	349798	386300	24.5	20.7	4
94	1.5	349827	386270	25.7	21.4	5
95	1.5	349744	386115	23.6	20.1	3
96	1.5	349729	385975	28.1	22.6	7
97	1.5	349728	385958	24.1	20.2	4
98	1.5	349800	385956	23.4	19.3	3
99	1.5	349799	385970	23.4	19.8	3
100	1.5	349752	386041	24.2	20.4	4
101	1.5	350174	385714	21.9	18.7	2
102	1.5	350403	385588	22.8	19.0	2
103	1.5	350802	385267	23.6	19.7	3
104	1.5	350876	385263	23.1	19.5	3
105	1.5	350959	385255	24.4	20.1	4
106	1.5	351266	385612	23.6	19.4	3
107	1.5	351159	385573	22.3	18.9	2
108	1.5	350961	385497	22.4	18.9	2
109	1.5	350950	385515	23.5	19.5	3

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
110	1.5	351323	385646	23.4	19.8	3
111	1.5	351356	385667	23.0	19.1	2
112	1.5	351347	385935	23.2	19.4	3
113	1.5	351303	385948	22.1	19.0	2
114	1.5	351313	386172	23.5	19.6	3
115	1.5	351318	386224	23.8	19.7	3
116	1.5	351373	386229	23.3	20.0	3
117	1.5	351397	386201	23.9	20.2	4
118	1.5	351401	386168	23.7	19.6	3
119	1.5	350775	385376	23.7	19.4	3
120	1.5	350808	385378	24.0	19.6	3
121	1.5	350866	385522	23.9	19.7	3
122	1.5	350842	385531	22.1	18.9	2
123	1.5	350862	385789	20.7	18.4	2
124	1.5	350881	385779	21.2	18.7	2
125	1.5	350118	386343	25.6	20.8	4
126	1.5	350275	386296	22.5	18.9	2
127	1.5	350916	386257	23.2	19.5	3
128	1.5	350913	386209	22.9	19.3	3
129	1.5	351081	386236	22.8	19.2	2
130	1.5	351074	386201	22.8	19.2	2
131	1.5	351540	386332	22.4	18.9	2
132	1.5	351405	386349	22.1	19.0	2
133	1.5	351422	386286	21.3	18.7	2
134	1.5	351371	386371	22.3	19.1	2
135	1.5	351694	386141	26.6	21.2	5
136	1.5	351740	386104	24.5	20.2	4
137	1.5	351836	386075	25.8	20.7	4
138	1.5	351847	386040	26.9	21.3	5
139	1.5	351887	386132	26.3	21.0	5
140	1.5	352015	386287	24.9	20.4	4
141	1.5	352020	386265	25.1	20.5	4
142	1.5	352068	386299	28.0	22.4	7
143	1.5	352103	386332	26.5	21.0	5
144	1.5	352180	386302	24.1	19.8	3
145	4.5	352248	386344	25.4	20.4	4
146	1.5	351251	388716	20.7	18.7	2
147	1.5	351197	384929	36.0	24.9	12
148	1.5	351180	384928	32.7	23.3	9
149	1.5	351161	384995	30.5	22.2	7
150	1.5	351175	384994	32.5	23.1	8
151	1.5	351346	385012	27.9	20.9	5
152	1.5	351201	385164	25.0	20.1	4
153	1.5	351256	385194	25.4	20.3	4
154	1.5	351287	385266	27.1	21.7	6
155	1.5	351310	385395	25.4	20.4	4
156	1.5	351254	385434	23.5	19.2	2
157	1.5	351407	385350	24.5	20.4	4
158	1.5	351393	385298	24.2	20.3	4

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
159	1.5	351478	385473	25.2	20.6	4
160	1.5	351517	385287	24.7	20.8	5
161	1.5	351507	385276	23.7	20.1	3
162	1.5	351759	385633	25.3	20.2	4
163	4.5	350924	383249	21.5	18.1	2
164	4.5	350919	383218	21.3	18.1	1
165	4.5	350913	383189	21.3	18.1	1
166	4.5	350850	383218	21.2	18.1	1
167	4.5	350887	383173	22.1	18.2	2
168	4.5	350827	383148	20.9	18.0	1
169	4.5	350830	383103	21.0	18.0	1
170	4.5	350893	383087	22.6	18.4	2
171	4.5	350905	383062	22.8	18.4	2
172	4.5	350849	383065	21.4	18.1	1
173	4.5	350938	383019	22.0	18.2	2
174	4.5	350963	383001	21.6	18.2	2
175	4.5	350814	383013	20.6	17.9	1
176	4.5	350839	382994	20.6	18.0	1
177	1.5	350791	383092	22.1	18.2	2
178	1.5	350789	383006	22.7	18.3	2
179	1.5	350802	383203	21.1	18.0	1
180	4.5	350924	382989	21.4	18.1	1
181	1.5	350964	382914	21.8	18.3	2
182	4.5	350998	382909	21.4	18.1	2
183	1.5	350942	382747	21.5	18.3	2
184	4.5	351028	382766	20.9	18.1	1
185	1.5	350999	382746	21.0	18.1	1
186	1.5	351096	383015	25.0	19.4	3
187	1.5	351105	383024	23.6	18.9	2
188	1.5	351095	382975	26.5	20.0	3
189	1.5	351094	382947	26.5	19.9	3
190	4.5	351051	382928	21.9	18.2	2
191	4.5	351064	382923	21.9	18.2	2
192	1.5	351110	382958	28.5	20.6	4
193	1.5	351098	383134	22.3	18.3	2
194	1.5	350999	383149	21.5	18.1	2
195	1.5	350994	383229	21.3	18.1	1
196	1.5	350984	383167	21.6	18.2	2
197	1.5	351127	383211	21.3	18.1	1
198	1.5	351190	383114	22.9	18.5	2
199	1.5	351198	383103	22.1	18.3	2
200	1.5	351368	383193	21.0	18.1	1
201	1.5	351473	383075	23.8	19.1	2
202	1.5	351485	383068	23.4	19.0	2
203	1.5	351444	383035	23.1	18.9	2
204	1.5	351430	383007	23.8	19.0	2
205	1.5	351333	382970	22.8	18.5	2
206	1.5	351250	382968	23.3	18.9	2
207	1.5	351547	383009	23.2	18.7	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
208	1.5	351618	382980	23.5	18.8	2
209	1.5	351662	382906	21.5	18.2	2
210	1.5	351495	382866	21.8	18.2	2
211	1.5	351453	382922	22.3	18.3	2
212	1.5	351796	383003	25.3	19.8	3
213	1.5	351829	383060	22.0	18.4	2
214	1.5	351735	383026	22.5	18.5	2
215	1.5	351870	383178	19.7	17.8	1
216	1.5	351851	383083	20.9	18.1	1
217	1.5	352021	383091	20.3	18.0	1
218	1.5	352106	382988	20.8	18.1	2
219	1.5	352061	382930	21.4	18.3	2
220	1.5	351939	382911	22.6	18.8	2
221	1.5	351881	382926	23.9	19.0	2
222	1.5	351959	382885	21.9	18.5	2
223	4.5	352060	382864	21.1	18.3	2
224	1.5	351911	382756	21.8	18.4	2
225	1.5	351768	382749	23.0	18.7	2
226	1.5	351661	382810	20.5	18.0	1
227	1.5	351604	382593	20.3	18.1	1
228	1.5	351513	382664	20.5	18.0	1
229	1.5	351173	382753	23.6	18.6	2
230	1.5	351144	382717	23.8	19.1	2
231	1.5	351132	382689	24.2	18.8	2
232	1.5	351090	382667	22.7	18.5	2
233	4.5	351009	382626	20.5	18.0	1
234	1.5	352142	382853	22.0	18.6	2
235	1.5	352244	382828	21.4	18.4	2
236	1.5	351788	382659	24.2	19.6	3
237	1.5	351797	382556	23.1	18.9	2
238	1.5	351808	382487	23.2	19.5	3
239	1.5	351778	382469	23.8	19.8	3
240	1.5	352011	382335	21.5	18.5	2
241	1.5	352020	382306	21.0	18.3	2
242	1.5	351907	382337	22.6	18.9	2
243	1.5	352102	382164	21.9	18.7	2
244	1.5	352334	382063	21.5	18.5	2
245	1.5	352257	382087	21.4	18.5	2
246	1.5	351862	382407	22.7	18.9	2
247	1.5	351699	382438	20.6	18.2	2
248	1.5	351742	382340	23.8	19.3	3
249	1.5	351659	382309	22.0	18.7	2
250	1.5	351802	382347	22.3	18.8	2
251	1.5	351903	382108	19.7	17.9	1
252	1.5	351722	382031	20.5	18.2	2
253	1.5	351737	381927	21.7	18.7	2
254	1.5	351808	381932	20.6	18.2	2
255	1.5	351910	381765	19.8	17.9	1
256	1.5	351892	381644	19.6	17.8	1

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
257	1.5	351905	381596	19.3	17.7	1
258	1.5	351648	381822	21.4	18.6	2
259	1.5	351674	381877	21.2	18.5	2
260	1.5	351659	381908	20.7	18.2	2
261	1.5	351543	382292	20.6	18.2	2
262	1.5	351367	382295	20.5	18.2	2
263	1.5	351523	382540	21.1	18.2	2
264	1.5	351480	382560	21.3	18.3	2
265	1.5	351139	382524	23.4	18.7	2
266	1.5	351103	382303	21.6	18.5	2
267	1.5	351125	382278	20.5	18.1	2
268	1.5	351049	382272	23.2	19.0	2
269	1.5	350629	382822	20.5	17.9	1
270	1.5	350513	382811	23.5	18.5	2
271	1.5	350722	382898	21.7	18.2	2
272	1.5	350731	382843	21.0	18.1	1
273	1.5	350136	382162	19.2	17.7	1
274	1.5	350123	382109	21.0	18.1	2
275	1.5	350120	382026	20.2	18.0	1
276	1.5	350140	382071	20.1	17.9	1
277	1.5	350206	381889	19.6	17.8	1
278	1.5	350245	381649	20.3	18.0	1
279	1.5	350278	381588	20.4	17.9	1
280	1.5	350262	381544	20.5	18.0	1
281	1.5	350264	381406	20.3	17.9	1
282	1.5	350315	381455	20.7	18.0	1
283	1.5	350397	381584	19.5	17.7	1
284	1.5	350421	381539	19.7	17.8	1
285	1.5	350491	381849	18.8	17.5	1
286	1.5	350624	382069	18.5	17.5	1
287	1.5	350817	382126	19.2	17.6	1
288	1.5	350811	382163	20.1	17.8	1
289	1.5	350745	382231	19.3	17.7	1
290	1.5	350828	382275	18.7	17.6	1
291	1.5	350951	382185	20.2	17.9	1
292	1.5	351013	382209	20.8	18.1	1
293	1.5	350840	382584	19.4	17.8	1
294	1.5	350772	382681	19.9	18.0	1
295	1.5	350782	382650	19.9	18.0	1
296	1.5	350807	382656	20.0	18.1	1
297	1.5	350628	382577	19.5	17.9	1
298	1.5	350230	382123	19.6	17.8	1
299	1.5	350302	382131	18.8	17.6	1
300	1.5	350239	382056	21.1	18.1	1
301	1.5	350224	381971	19.5	17.7	1
302	1.5	350476	381360	19.8	17.8	1
303	1.5	350479	381101	19.4	17.7	1
304	1.5	350504	381055	20.3	17.9	1
305	1.5	350373	381041	19.7	17.8	1

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
306	1.5	350670	380498	22.1	18.4	2
307	1.5	350805	380559	21.7	18.3	2
308	1.5	350677	380775	20.6	18.0	1
309	1.5	350860	380527	23.2	18.8	2
310	1.5	350851	380563	22.4	18.6	2
311	1.5	350842	380734	23.7	19.1	2
312	1.5	350842	380660	21.9	18.5	2
313	1.5	350896	380924	20.3	18.0	1
314	1.5	350919	380899	20.7	18.1	1
315	1.5	351166	381332	19.9	18.0	1
316	1.5	351362	381559	23.3	19.4	3
317	1.5	351336	381545	21.4	18.6	2
318	1.5	351390	381512	21.1	18.6	2
319	1.5	351274	381753	20.3	18.1	2
320	1.5	351255	381708	19.6	17.9	1
321	1.5	351041	381966	19.0	17.7	1
322	1.5	350898	382120	20.4	18.0	1
323	1.5	351259	382044	19.0	17.7	1
324	1.5	351249	382033	18.9	17.7	1
325	1.5	351415	381872	19.1	17.8	1
326	1.5	351385	381871	19.0	17.7	1
327	1.5	351411	381596	22.2	19.1	2
328	1.5	351496	381625	20.6	18.3	2
329	1.5	350964	382387	20.4	18.3	2
330	1.5	350963	382369	19.8	18.0	1
331	1.5	350903	380310	24.0	18.9	2
332	1.5	350995	380392	23.4	19.2	3
333	1.5	352208	380552	21.9	18.4	2
334	1.5	352266	380623	22.6	18.7	2
335	1.5	352230	380693	22.7	18.8	2
336	1.5	352103	380709	21.1	18.3	2
337	1.5	351964	380829	21.8	18.6	2
338	1.5	351710	380995	19.8	17.9	1
339	1.5	351548	381137	21.5	18.7	2
340	1.5	352235	381390	20.1	17.9	1
341	1.5	352192	381328	20.0	17.9	1
342	1.5	352211	381308	20.3	17.9	1
343	1.5	352483	380894	21.8	18.4	2
344	1.5	352581	380837	22.8	18.7	2
345	1.5	352899	381107	22.9	18.8	2
346	1.5	352790	381334	22.8	19.1	2
347	1.5	352681	381399	21.1	18.4	2
348	1.5	352673	381564	21.3	18.5	2
349	1.5	352554	381617	20.8	18.3	2
350	1.5	352328	381602	21.1	18.4	2
351	1.5	352240	381921	21.6	18.5	2
352	1.5	352233	381855	20.5	18.2	2
353	1.5	352649	381873	21.8	18.6	2
354	1.5	352482	381876	20.4	18.1	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
355	1.5	352888	381551	22.6	18.9	2
356	1.5	352912	381563	22.6	18.9	2
357	4.5	353144	381572	23.6	19.5	3
358	4.5	353152	381501	24.0	19.6	3
359	4.5	353113	381385	23.2	19.2	2
360	4.5	352657	380746	24.1	19.6	3
361	4.5	352749	380712	23.7	19.4	3
362	4.5	352730	380787	24.2	19.7	3
363	4.5	352837	380753	23.7	19.4	3
364	4.5	352828	380832	24.1	19.6	3
365	7.5	352876	380854	23.8	19.1	2
366	10.5	352930	380889	22.1	18.6	2
367	10.5	352959	380938	22.1	18.6	2
368	7.5	352994	381041	23.1	18.9	2
369	7.5	353049	381138	23.1	18.9	2
370	7.5	353025	381096	23.1	18.9	2
371	7.5	352979	380998	23.3	18.9	2
372	0	353188	381001	24.8	19.9	3
373	0	353218	381059	24.4	19.7	3
374	0	353178	380856	23.4	19.4	3
375	0	353123	380771	24.0	19.7	3
376	4.5	353115	380696	24.3	19.9	3
377	4.5	353172	380651	23.7	19.6	3
378	4.5	352894	380755	23.2	19.2	3
379	4.5	352973	380739	23.9	19.1	2
380	4.5	352932	380741	23.8	19.1	2
381	4.5	353006	380712	23.9	19.2	2
382	4.5	353046	380644	23.4	19.0	2
383	7.5	353106	380589	22.8	18.8	2
384	1.5	353258	380607	24.1	19.8	3
385	1.5	352166	380506	21.7	18.3	2
386	1.5	352425	380323	23.6	18.9	2
387	1.5	352587	380601	25.1	20.0	3
388	4.5	352536	380551	25.1	19.9	3
389	4.5	352541	380494	24.3	19.5	3
390	1.5	352663	380336	27.1	20.6	4
391	4.5	352583	380437	24.4	19.6	3
392	1.5	352773	380204	28.9	21.4	5
393	1.5	352900	380104	28.0	21.1	5
394	1.5	352934	380065	28.5	21.4	5
395	1.5	352732	380451	24.2	19.7	3
396	1.5	352800	380352	24.0	19.5	3
397	1.5	352916	380388	23.2	19.3	3
398	1.5	353082	379955	28.1	21.3	5
399	1.5	353040	379977	28.2	21.3	5
400	1.5	353227	379834	26.6	20.0	3
401	1.5	353274	379820	27.6	20.4	4
402	1.5	353377	379899	25.2	19.3	3
403	1.5	353714	380151	25.3	20.1	4

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
404	1.5	353928	380036	27.2	21.0	5
405	1.5	354070	380082	26.3	20.8	4
406	1.5	353713	379732	30.8	21.4	5
407	1.5	353541	379703	31.2	21.7	6
408	1.5	353498	379661	28.6	20.6	4
409	1.5	353471	379581	26.3	19.8	3
410	1.5	353428	379187	25.5	20.2	4
411	1.5	353672	378987	19.8	17.4	1
412	1.5	353749	379838	34.2	22.8	8
413	1.5	354015	379821	34.7	23.1	8
414	1.5	353983	379731	32.7	22.2	7
415	1.5	354552	379699	32.4	22.0	6
416	1.5	354517	379579	28.8	20.6	4
417	1.5	354685	379647	36.2	23.7	9
418	1.5	354451	379419	21.3	17.8	1
419	1.5	353856	380363	26.4	20.9	5
420	1.5	353978	380368	24.6	20.1	3
421	1.5	354423	380201	24.6	19.9	3
422	1.5	354502	380164	24.7	19.9	3
423	1.5	354665	380091	24.8	19.9	3
424	1.5	354712	379931	25.0	19.8	3
425	1.5	354974	379985	25.4	20.1	4
426	1.5	355190	380005	25.3	20.1	3
427	1.5	355302	380099	24.6	19.8	3
428	1.5	354867	379699	27.1	19.9	3
433	1.5	356422	380605	35.5	23.3	9
434	1.5	356516	380693	32.8	22.1	6
435	1.5	356374	380817	22.6	18.1	1
436	1.5	355918	380433	23.4	19.1	2
437	1.5	356619	380991	25.0	18.9	2
438	1.5	354796	379706	27.7	20.2	4
439	1.5	354861	379750	26.4	19.8	3
440	1.5	354670	379712	28.7	20.5	4
441	1.5	352803	382648	21.6	18.4	2
442	1.5	352825	382663	23.9	19.0	2
443	1.5	353185	382529	25.6	20.5	4
444	1.5	353171	382439	26.8	21.2	5
445	1.5	353283	382483	28.0	21.9	6
446	1.5	353278	382442	27.4	21.5	5
447	1.5	353324	382424	24.5	20.1	3
448	1.5	353352	382451	25.1	20.4	4
449	1.5	353133	382429	24.3	20.0	3
450	1.5	353147	382358	23.7	19.6	3
451	1.5	353274	382308	25.2	20.2	4
452	1.5	353267	382175	25.8	20.5	4
453	1.5	353144	382111	23.6	19.5	3
454	1.5	353176	381791	25.1	20.2	4
455	1.5	353147	381717	24.4	19.9	3
456	1.5	353057	381716	23.1	19.5	3

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
457	1.5	352938	381642	22.4	18.8	2
458	4.5	353112	381594	23.9	19.2	2
459	1.5	353445	381807	23.7	19.5	3
460	1.5	353412	381869	23.8	19.4	3
461	1.5	353430	382047	23.1	19.1	2
462	1.5	353399	382108	23.7	19.0	2
463	1.5	353643	382335	22.8	18.9	2
464	1.5	353577	382321	22.1	18.7	2
465	1.5	353657	382578	22.0	18.5	2
466	1.5	353730	382577	21.7	18.4	2
467	1.5	353475	382709	24.0	19.2	3
468	1.5	353598	382729	22.9	18.9	2
469	1.5	353316	382565	26.3	20.9	5
470	1.5	353337	382621	25.3	20.4	4
471	1.5	353202	382620	24.6	20.0	3
472	1.5	353217	382756	23.6	19.6	3
473	1.5	353213	382830	23.3	19.4	3
474	1.5	353111	382864	22.6	18.8	2
475	1.5	352952	382881	21.5	18.4	2
476	1.5	352741	382934	21.7	18.5	2
477	1.5	353754	382967	30.0	22.1	6
478	1.5	355620	383242	21.4	18.5	2
479	1.5	355702	383356	21.5	18.5	2
480	1.5	355730	383261	20.3	18.1	2
481	1.5	355705	383175	19.9	18.0	1
482	1.5	355801	383658	20.9	18.3	2
486	1.5	355994	383521	21.2	18.4	2
487	1.5	356072	383617	24.2	19.8	3
488	1.5	356198	383668	23.3	19.4	3
489	1.5	356125	383710	24.3	19.8	3
490	1.5	356346	383683	21.3	18.4	2
491	1.5	356391	383747	24.1	19.7	3
492	1.5	356610	383786	23.6	18.9	2
493	1.5	356458	383610	20.2	18.1	2
494	1.5	356272	383536	20.6	18.3	2
495	1.5	356139	383276	18.8	17.7	1
496	1.5	356162	383348	19.3	17.8	1
497	1.5	356856	383770	23.7	19.3	3
498	1.5	357044	383952	20.3	18.1	1
499	1.5	357115	383535	19.5	17.8	1
500	1.5	357527	382164	20.2	18.2	2
501	1.5	353715	381844	23.4	19.3	3
502	1.5	353722	381820	22.5	18.9	2
503	1.5	353545	380813	23.6	19.0	2
504	1.5	353629	380964	22.5	18.8	2
505	1.5	353475	380690	23.8	19.1	2
506	1.5	352742	382315	21.6	18.6	2
507	1.5	352831	382324	21.8	18.6	2
508	1.5	354257	382931	21.0	18.3	2

Receptor ID	X (m)	Y(m)	Height (m)	NO ₂ Annual Mean (µg/m ³)	PM ₁₀ Annual Mean (µg/m ³)	Number of PM ₁₀ Daily Mean above 50µg/m ³
509	1.5	354240	382947	21.1	18.3	2
510	1.5	354209	382894	21.0	18.3	2
511	1.5	354046	382901	21.7	18.5	2
512	1.5	357825	383041	24.1	19.2	3
513	1.5	358142	383213	23.7	19.7	3
514	1.5	358116	383236	22.5	18.8	2
515	1.5	357937	382871	24.1	19.6	3
516	1.5	351922	378420	27.3	19.7	3
517	1.5	351202	377924	35.3	23.0	8
518	1.5	351131	377997	32.3	21.6	6
548	4.5	352027	382823	20.7	18.1	1
WI1	1.5	353288	383665	23.6	19.4	3
WI2	1.5	353227	383625	23.5	19.4	3
WI4	1.5	353186	383602	23.0	18.9	2
WI3	1.5	353257	383645	24.3	19.7	3
WI5	1.5	353339	383686	23.4	19.0	2
WI6	1.5	353044	383518	21.1	18.3	2
WI7	1.5	353446	383737	21.4	18.4	2
WI8	1.5	353723	383827	19.7	17.9	1
WI9	1.5	352821	383426	20.3	18.1	1
WI0	1.5	354615	384131	18.2	17.5	1
WI11	1.5	353297	383593	24.3	19.7	3

Table A 4 – Magnitude and Significance of the change in Predicted Annual Mean NO₂ Concentrations, Do-Minimum to Do-Something (2015)

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
HBC6	0.3	1.0	Very Low	Not Significant
HBC1	0.3	1.1	Very Low	Not Significant
HBC2	0.3	1.2	Very Low	Not Significant
HBC3	0.4	1.5	Very Low	Not Significant
HBC4	0.3	1.2	Very Low	Not Significant
HBC5	0.4	1.2	Very Low	Low Negative
V8	0.3	1.2	Very Low	Not Significant
HBC9	0.3	1.2	Very Low	Not Significant
HBC10	-0.5	-2.3	Very Low	Not Significant
HBC13	0.2	0.9	Extremely Low	Not Significant
HBC14	0.4	1.4	Very Low	Not Significant
HBC15	0.1	0.3	Extremely Low	Not Significant
V14	0.3	1.2	Very Low	Not Significant
V15	0.2	0.8	Extremely Low	Not Significant
HBC18	-4.6	-16.2	High	High Positive
MG1	-4.5	-17.8	High	Moderate Positive
V18	-8.4	-26.0	Very High	High Positive
V19	-6.3	-22.1	High	High Positive
MG4	-5.6	-20.6	High	High Positive
MG5	-5.2	-19.5	High	High Positive
MG6	-4.6	-18.2	High	Moderate Positive
MG7	-5.0	-18.9	High	Moderate Positive
MG8	-4.9	-17.6	High	High Positive
MG9	-3.7	-14.9	Moderate	Moderate Positive
MG10	-4.3	-17.4	High	Moderate Positive
MG11	-4.8	-20.2	High	Moderate Positive
HBC0	-1.0	-4.1	Very Low	Not Significant
MG15	-7.8	-22.9	High	High Positive
MG16	1.1	4.1	Very Low	Not Significant
MG17	0.9	4.0	Very Low	Not Significant
MG18	0.2	0.7	Extremely Low	Not Significant
MG19	0.6	2.8	Very Low	Not Significant
MG20	-0.2	-1.0	Very Low	Not Significant
V35	-10.3	-30.3	Very High	High Positive
MG22	-2.7	-11.3	Moderate	Moderate Positive
MG23	-2.5	-10.6	Moderate	Moderate Positive
1	0.1	0.3	Extremely Low	Not Significant
2	-0.1	-0.5	Extremely Low	Not Significant
3	0.1	0.4	Extremely Low	Not Significant
4	-0.1	-0.5	Extremely Low	Not Significant
5	-0.1	-0.6	Extremely Low	Not Significant
6	0.0	-0.1	Extremely Low	Not Significant
7	0.1	0.6	Extremely Low	Not Significant
8	0.2	0.7	Extremely Low	Not Significant
9	0.2	0.9	Extremely Low	Not Significant

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
10	-0.1	-0.4	Extremely Low	Not Significant
11	0.3	1.1	Very Low	Not Significant
12	0.2	1.1	Very Low	Not Significant
13	0.3	1.2	Very Low	Not Significant
14	0.2	1.0	Very Low	Not Significant
15	0.3	1.1	Very Low	Not Significant
16	0.2	0.9	Extremely Low	Not Significant
17	0.3	1.3	Very Low	Not Significant
18	0.3	1.1	Very Low	Not Significant
19	0.2	1.0	Extremely Low	Not Significant
20	0.2	1.1	Very Low	Not Significant
21	0.1	0.7	Extremely Low	Not Significant
22	0.2	0.9	Extremely Low	Not Significant
23	0.2	0.8	Extremely Low	Not Significant
24	0.0	-0.1	Extremely Low	Not Significant
25	0.1	0.4	Extremely Low	Not Significant
26	0.2	0.8	Extremely Low	Not Significant
27	0.1	0.5	Extremely Low	Not Significant
28	0.0	-0.2	Extremely Low	Not Significant
29	0.1	0.3	Extremely Low	Not Significant
30	0.1	0.4	Extremely Low	Not Significant
31	0.0	0.2	Extremely Low	Not Significant
32	-1.1	-4.4	Very Low	Not Significant
33	0.0	0.1	Extremely Low	Not Significant
34	0.3	1.4	Very Low	Not Significant
35	-0.9	-3.9	Very Low	Not Significant
36	0.0	0.0	Extremely Low	Not Significant
37	0.0	0.1	Extremely Low	Not Significant
38	0.6	2.4	Very Low	Not Significant
39	0.9	3.2	Very Low	Not Significant
40	1.1	4.4	Very Low	Not Significant
41	-1.4	-5.6	Low	Low Positive
42	-2.4	-9.0	Low	Low Positive
43	-3.8	-14.7	Moderate	Moderate Positive
44	-7.6	-25.8	Very High	High Positive
45	-8.8	-28.7	Very High	High Positive
46	-4.2	-17.0	High	Moderate Positive
47	-7.7	-26.2	Very High	High Positive
48	-6.6	-22.6	High	High Positive
49	-5.9	-21.2	High	High Positive
50	-4.4	-17.6	High	Moderate Positive
51	-4.0	-16.4	High	Moderate Positive
52	-4.0	-16.6	High	Moderate Positive
53	-4.1	-16.9	High	Moderate Positive
54	-4.2	-17.0	High	Moderate Positive
55	-3.7	-15.5	High	Moderate Positive
56	-3.5	-14.9	Moderate	Low Positive
57	-3.5	-15.1	High	Moderate Positive

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
58	-4.3	-17.8	High	Moderate Positive
59	-6.1	-21.7	High	High Positive
60	-6.6	-22.7	High	High Positive
61	-4.8	-18.7	High	Moderate Positive
62	-3.4	-14.7	Moderate	Low Positive
63	-2.9	-12.0	Moderate	Moderate Positive
64	-6.8	-23.4	High	High Positive
65	-0.6	-2.6	Very Low	Not Significant
66	-0.6	-2.8	Very Low	Not Significant
67	-0.7	-2.9	Very Low	Not Significant
68	0.6	2.8	Very Low	Not Significant
69	-0.6	-2.5	Very Low	Not Significant
70	0.5	2.0	Very Low	Not Significant
71	-0.7	-3.0	Very Low	Not Significant
72	0.0	-0.1	Extremely Low	Not Significant
73	-0.1	-0.3	Extremely Low	Not Significant
74	0.0	-0.2	Extremely Low	Not Significant
75	-0.3	-1.2	Very Low	Not Significant
76	-0.5	-2.1	Very Low	Not Significant
77	-0.5	-2.4	Very Low	Not Significant
78	-0.5	-2.5	Very Low	Not Significant
79	-0.8	-3.4	Very Low	Not Significant
80	-0.6	-2.8	Very Low	Not Significant
81	-0.5	-2.1	Very Low	Not Significant
82	-0.5	-2.3	Very Low	Not Significant
83	-0.3	-1.1	Very Low	Not Significant
84	-0.2	-0.9	Extremely Low	Not Significant
85	-0.3	-1.4	Very Low	Not Significant
86	-0.3	-1.4	Very Low	Not Significant
87	-0.3	-1.5	Very Low	Not Significant
88	-0.1	-0.4	Extremely Low	Not Significant
89	-0.2	-0.9	Extremely Low	Not Significant
90	-0.1	-0.4	Extremely Low	Not Significant
91	0.1	0.3	Extremely Low	Not Significant
92	-0.2	-0.7	Extremely Low	Not Significant
93	0.0	-0.2	Extremely Low	Not Significant
94	0.0	-0.1	Extremely Low	Not Significant
95	0.0	-0.2	Extremely Low	Not Significant
96	0.2	0.7	Extremely Low	Not Significant
97	0.1	0.3	Extremely Low	Not Significant
98	-0.1	-0.6	Extremely Low	Not Significant
99	0.0	-0.1	Extremely Low	Not Significant
100	0.0	-0.1	Extremely Low	Not Significant
101	-0.5	-2.4	Very Low	Not Significant
102	-0.6	-2.8	Very Low	Not Significant
103	-0.5	-2.2	Very Low	Not Significant
104	-0.4	-1.6	Very Low	Not Significant
105	-0.3	-1.1	Very Low	Not Significant

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
106	0.1	0.3	Extremely Low	Not Significant
107	0.0	-0.1	Extremely Low	Not Significant
108	-0.3	-1.4	Very Low	Not Significant
109	-0.5	-2.1	Very Low	Not Significant
110	0.0	0.1	Extremely Low	Not Significant
111	0.2	0.8	Extremely Low	Not Significant
112	-0.1	-0.3	Extremely Low	Not Significant
113	0.0	0.0	Extremely Low	Not Significant
114	0.1	0.3	Extremely Low	Not Significant
115	0.1	0.3	Extremely Low	Not Significant
116	0.0	0.2	Extremely Low	Not Significant
117	0.1	0.3	Extremely Low	Not Significant
118	0.1	0.4	Extremely Low	Not Significant
119	0.4	1.8	Very Low	Not Significant
120	0.5	2.1	Very Low	Not Significant
121	0.5	2.2	Very Low	Not Significant
122	-0.5	-2.3	Very Low	Not Significant
123	-0.3	-1.5	Very Low	Not Significant
124	-0.4	-1.8	Very Low	Not Significant
125	-0.2	-0.7	Extremely Low	Not Significant
126	-0.2	-1.1	Very Low	Not Significant
127	-0.1	-0.6	Extremely Low	Not Significant
128	-0.2	-0.9	Extremely Low	Not Significant
129	0.0	-0.1	Extremely Low	Not Significant
130	0.0	0.0	Extremely Low	Not Significant
131	0.3	1.5	Very Low	Not Significant
132	0.2	1.1	Very Low	Not Significant
133	0.1	0.7	Extremely Low	Not Significant
134	0.2	0.8	Extremely Low	Not Significant
135	0.3	1.3	Very Low	Not Significant
136	0.3	1.2	Very Low	Not Significant
137	0.2	0.7	Extremely Low	Not Significant
138	0.1	0.5	Extremely Low	Not Significant
139	0.2	0.6	Extremely Low	Not Significant
140	0.1	0.2	Extremely Low	Not Significant
141	0.1	0.3	Extremely Low	Not Significant
142	0.2	0.8	Extremely Low	Not Significant
143	0.1	0.4	Extremely Low	Not Significant
144	0.2	0.7	Extremely Low	Not Significant
145	0.1	0.6	Extremely Low	Not Significant
146	0.2	0.8	Extremely Low	Not Significant
147	2.6	7.6	Low	High Negative
148	1.9	6.1	Low	Moderate Negative
149	0.3	0.9	Extremely Low	Low Negative
150	0.2	0.7	Extremely Low	Low Negative
151	1.1	4.1	Very Low	Not Significant
152	0.6	2.5	Very Low	Not Significant
153	0.6	2.6	Very Low	Not Significant

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
154	0.3	1.0	Extremely Low	Not Significant
155	0.2	0.7	Extremely Low	Not Significant
156	0.2	0.7	Extremely Low	Not Significant
157	0.4	1.5	Very Low	Not Significant
158	0.4	1.6	Very Low	Not Significant
159	0.5	1.9	Very Low	Not Significant
160	0.6	2.3	Very Low	Not Significant
161	0.6	2.5	Very Low	Not Significant
162	0.7	3.0	Very Low	Not Significant
163	-5.6	-20.5	High	High Positive
164	-5.6	-20.9	High	High Positive
165	-5.8	-21.3	High	High Positive
166	-5.1	-19.3	High	Moderate Positive
167	-7.2	-24.6	High	High Positive
168	-4.1	-16.4	High	Moderate Positive
169	-4.1	-16.5	High	Moderate Positive
170	-7.2	-24.1	High	High Positive
171	-6.8	-23.0	High	High Positive
172	-4.9	-18.7	High	Moderate Positive
173	-6.1	-21.8	High	High Positive
174	-5.6	-20.5	High	High Positive
175	-3.5	-14.6	Moderate	Moderate Positive
176	-4.4	-17.7	High	Moderate Positive
177	-2.5	-10.0	Low	Low Positive
178	-2.5	-10.1	Moderate	Moderate Positive
179	-2.9	-12.0	Moderate	Moderate Positive
180	-6.0	-22.0	High	High Positive
181	-5.3	-19.6	High	High Positive
182	-5.1	-19.2	High	Moderate Positive
183	-5.1	-19.1	High	Moderate Positive
184	-4.9	-19.1	High	Moderate Positive
185	-5.1	-19.6	High	Moderate Positive
186	-4.2	-14.4	Moderate	Moderate Positive
187	-3.9	-14.2	Moderate	Moderate Positive
188	-4.5	-14.5	Moderate	Moderate Positive
189	-4.9	-15.7	High	High Positive
190	-4.9	-18.3	High	High Positive
191	-4.7	-17.8	High	High Positive
192	-4.6	-14.0	Moderate	Moderate Positive
193	-2.7	-10.8	Moderate	Moderate Positive
194	-3.7	-14.6	Moderate	Moderate Positive
195	-3.4	-13.9	Moderate	Moderate Positive
196	-3.7	-14.7	Moderate	Moderate Positive
197	-2.5	-10.4	Moderate	Moderate Positive
198	-2.1	-8.4	Low	Low Positive
199	-2.3	-9.5	Low	Low Positive
200	-2.5	-10.8	Moderate	Moderate Positive
201	-1.4	-5.4	Low	Low Positive

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
202	-1.5	-6.0	Low	Low Positive
203	-1.5	-6.2	Low	Low Positive
204	-1.5	-5.9	Low	Low Positive
205	-2.3	-9.3	Low	Low Positive
206	-3.6	-13.4	Moderate	Moderate Positive
207	-1.0	-4.1	Very Low	Not Significant
208	-0.7	-3.0	Very Low	Not Significant
209	-1.9	-7.9	Low	Low Positive
210	-2.7	-11.1	Moderate	Moderate Positive
211	-2.3	-9.2	Low	Low Positive
212	-1.2	-4.4	Very Low	Not Significant
213	-2.1	-8.6	Low	Low Positive
214	-0.9	-3.6	Very Low	Not Significant
215	-1.8	-8.2	Low	Low Positive
216	-2.0	-8.8	Low	Low Positive
217	-2.0	-9.0	Low	Low Positive
218	-3.2	-13.3	Moderate	Moderate Positive
219	-2.5	-10.6	Moderate	Moderate Positive
220	-2.2	-8.9	Low	Low Positive
221	-1.1	-4.6	Very Low	Not Significant
222	-2.4	-10.0	Low	Low Positive
223	-2.2	-9.6	Low	Low Positive
224	-2.9	-11.7	Moderate	Moderate Positive
225	-3.2	-12.4	Moderate	Moderate Positive
226	-2.8	-12.1	Moderate	Low Positive
227	-3.5	-14.7	Moderate	Moderate Positive
228	-5.1	-19.9	High	Moderate Positive
229	-5.1	-17.8	High	High Positive
230	-5.7	-19.4	High	High Positive
231	-4.4	-15.4	High	High Positive
232	-6.6	-22.6	High	High Positive
233	-4.3	-17.5	High	Moderate Positive
234	-2.3	-9.7	Low	Low Positive
235	-1.8	-7.9	Low	Low Positive
236	-3.6	-13.1	Moderate	Moderate Positive
237	-1.5	-6.2	Low	Low Positive
238	-2.1	-8.4	Low	Low Positive
239	-2.3	-8.7	Low	Low Positive
240	-1.8	-7.8	Low	Low Positive
241	-1.7	-7.4	Low	Low Positive
242	-1.0	-4.1	Very Low	Not Significant
243	-2.0	-8.4	Low	Low Positive
244	-1.2	-5.3	Low	Low Positive
245	-1.5	-6.6	Low	Low Positive
246	-1.1	-4.6	Very Low	Not Significant
247	-2.3	-10.0	Low	Low Positive
248	-0.1	-0.5	Extremely Low	Not Significant
249	-1.4	-5.9	Low	Low Positive

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
250	-1.9	-7.7	Low	Low Positive
251	-1.1	-5.4	Low	Low Positive
252	-1.2	-5.4	Low	Low Positive
253	-1.0	-4.2	Very Low	Not Significant
254	-1.2	-5.4	Low	Low Positive
255	-0.9	-4.4	Very Low	Not Significant
256	-0.9	-4.3	Very Low	Not Significant
257	-0.8	-3.8	Very Low	Not Significant
258	-0.7	-3.2	Very Low	Not Significant
259	-0.8	-3.7	Very Low	Not Significant
260	-0.9	-4.3	Very Low	Not Significant
261	-1.4	-6.5	Low	Low Positive
262	-1.3	-6.2	Low	Low Positive
263	-2.7	-11.2	Moderate	Moderate Positive
264	-2.8	-11.5	Moderate	Moderate Positive
265	-1.1	-4.7	Very Low	Not Significant
266	-1.4	-6.1	Low	Low Positive
267	-1.4	-6.6	Low	Low Positive
268	-0.9	-3.9	Very Low	Not Significant
269	-3.5	-14.7	Moderate	Moderate Positive
270	-1.4	-5.6	Low	Low Positive
271	-3.1	-12.6	Moderate	Moderate Positive
272	-6.6	-23.9	High	High Positive
273	-4.4	-18.7	High	Moderate Positive
274	-3.7	-15.0	High	Moderate Positive
275	-5.9	-22.6	High	Moderate Positive
276	-4.0	-16.6	High	Moderate Positive
277	-4.8	-19.7	High	Moderate Positive
278	-5.2	-20.5	High	Moderate Positive
279	-3.8	-15.6	High	Moderate Positive
280	-4.4	-17.8	High	Moderate Positive
281	-4.0	-16.3	High	Moderate Positive
282	-2.7	-11.4	Moderate	Low Positive
283	-2.6	-11.8	Moderate	Low Positive
284	-2.4	-10.9	Moderate	Low Positive
285	-1.6	-7.7	Low	Low Positive
286	-1.2	-6.0	Low	Not Significant
287	-0.9	-4.5	Very Low	Not Significant
288	-0.7	-3.5	Very Low	Not Significant
289	-1.1	-5.4	Low	Low Positive
290	-1.3	-6.6	Low	Not Significant
291	-1.4	-6.5	Low	Low Positive
292	-1.5	-6.9	Low	Low Positive
293	-2.9	-13.1	Moderate	Low Positive
294	-3.7	-15.5	High	Moderate Positive
295	-3.1	-13.6	Moderate	Low Positive
296	-3.5	-14.8	Moderate	Moderate Positive
297	-2.8	-12.4	Moderate	Low Positive

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
298	-2.9	-13.0	Moderate	Low Positive
299	-2.2	-10.6	Moderate	Low Positive
300	-2.0	-8.7	Low	Low Positive
301	-4.3	-18.0	High	Moderate Positive
302	-2.3	-10.2	Moderate	Low Positive
303	-3.0	-13.4	Moderate	Low Positive
304	-2.8	-12.1	Moderate	Low Positive
305	-4.9	-19.8	High	Moderate Positive
306	-5.0	-18.5	High	High Positive
307	-1.6	-6.8	Low	Low Positive
308	-2.5	-10.8	Moderate	Low Positive
309	-0.9	-3.8	Very Low	Not Significant
310	-1.0	-4.4	Very Low	Not Significant
311	0.0	-0.1	Extremely Low	Not Significant
312	-1.8	-7.7	Low	Low Positive
313	-1.3	-6.2	Low	Low Positive
314	-1.3	-5.9	Low	Low Positive
315	-0.9	-4.5	Very Low	Not Significant
316	0.1	0.5	Extremely Low	Not Significant
317	-1.0	-4.5	Very Low	Not Significant
318	-0.9	-4.2	Very Low	Not Significant
319	-1.3	-5.9	Low	Low Positive
320	-1.1	-5.4	Low	Low Positive
321	-1.3	-6.2	Low	Low Positive
322	-1.1	-5.2	Low	Low Positive
323	-1.1	-5.6	Low	Low Positive
324	-1.1	-5.6	Low	Low Positive
325	-0.9	-4.7	Very Low	Not Significant
326	-1.0	-4.8	Very Low	Not Significant
327	-0.7	-2.9	Very Low	Not Significant
328	-0.7	-3.3	Very Low	Not Significant
329	-2.8	-12.1	Moderate	Low Positive
330	-2.4	-10.7	Moderate	Low Positive
331	-5.7	-19.3	High	High Positive
332	-2.5	-9.8	Low	Low Positive
333	-1.4	-5.9	Low	Low Positive
334	-0.7	-2.9	Very Low	Not Significant
335	-0.8	-3.2	Very Low	Not Significant
336	-1.1	-5.0	Very Low	Not Significant
337	-1.1	-4.8	Very Low	Not Significant
338	-1.0	-4.6	Very Low	Not Significant
339	-1.0	-4.4	Very Low	Not Significant
340	-0.6	-3.0	Very Low	Not Significant
341	-0.6	-3.0	Very Low	Not Significant
342	-0.6	-3.0	Very Low	Not Significant
343	0.1	0.3	Extremely Low	Not Significant
344	0.5	2.1	Very Low	Not Significant
345	0.3	1.3	Very Low	Not Significant

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
346	0.2	0.9	Extremely Low	Not Significant
347	-0.1	-0.5	Extremely Low	Not Significant
348	-0.2	-0.9	Extremely Low	Not Significant
349	-0.4	-1.7	Very Low	Not Significant
350	-0.5	-2.5	Very Low	Not Significant
351	-1.0	-4.3	Very Low	Not Significant
352	-0.8	-3.8	Very Low	Not Significant
353	-1.1	-4.9	Very Low	Not Significant
354	-0.8	-3.7	Very Low	Not Significant
355	0.3	1.3	Very Low	Not Significant
356	0.3	1.4	Very Low	Not Significant
357	0.4	1.7	Very Low	Not Significant
358	0.6	2.6	Very Low	Not Significant
359	0.2	0.7	Extremely Low	Not Significant
360	0.4	1.5	Very Low	Not Significant
361	0.3	1.4	Very Low	Not Significant
362	0.4	1.7	Very Low	Not Significant
363	0.6	2.4	Very Low	Not Significant
364	0.4	1.5	Very Low	Not Significant
365	1.0	4.5	Very Low	Not Significant
366	0.4	1.9	Very Low	Not Significant
367	0.4	1.9	Very Low	Not Significant
368	0.4	1.8	Very Low	Not Significant
369	0.4	1.9	Very Low	Not Significant
370	0.3	1.5	Very Low	Not Significant
371	0.5	2.1	Very Low	Not Significant
372	1.4	6.1	Low	Low Negative
373	1.4	6.2	Low	Low Negative
374	-0.5	-2.1	Very Low	Not Significant
375	0.0	-0.1	Extremely Low	Not Significant
376	-0.5	-2.1	Very Low	Not Significant
377	-0.6	-2.4	Very Low	Not Significant
378	0.1	0.4	Extremely Low	Not Significant
379	0.2	0.8	Extremely Low	Not Significant
380	0.7	3.2	Very Low	Not Significant
381	0.8	3.4	Very Low	Not Significant
382	-0.5	-1.9	Very Low	Not Significant
383	-0.4	-1.6	Very Low	Not Significant
384	-0.6	-2.5	Very Low	Not Significant
385	-1.9	-7.9	Low	Low Positive
386	0.2	0.7	Extremely Low	Not Significant
387	1.4	6.1	Low	Low Negative
388	1.4	5.8	Low	Low Negative
389	0.7	2.8	Very Low	Not Significant
390	0.1	0.3	Extremely Low	Not Significant
391	0.3	1.2	Very Low	Not Significant
392	0.0	0.0	Extremely Low	Not Significant
393	0.2	0.9	Extremely Low	Not Significant

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
394	0.3	1.1	Very Low	Not Significant
395	0.1	0.2	Extremely Low	Not Significant
396	0.0	-0.2	Extremely Low	Not Significant
397	-0.1	-0.3	Extremely Low	Not Significant
398	-0.1	-0.4	Extremely Low	Not Significant
399	-0.1	-0.2	Extremely Low	Not Significant
400	-0.1	-0.2	Extremely Low	Not Significant
401	0.0	0.0	Extremely Low	Not Significant
402	0.0	0.1	Extremely Low	Not Significant
403	0.0	0.0	Extremely Low	Not Significant
404	-0.1	-0.3	Extremely Low	Not Significant
405	-0.3	-1.1	Very Low	Not Significant
406	0.0	0.0	Extremely Low	Not Significant
407	0.1	0.5	Extremely Low	Low Negative
408	0.3	0.9	Extremely Low	Not Significant
409	0.4	1.7	Very Low	Not Significant
410	0.4	1.6	Very Low	Not Significant
411	-0.1	-0.6	Extremely Low	Not Significant
412	0.0	0.1	Extremely Low	Low Negative
413	0.0	0.0	Extremely Low	Not Significant
414	0.0	-0.1	Extremely Low	Not Significant
415	0.0	0.1	Extremely Low	Low Negative
416	0.0	0.0	Extremely Low	Not Significant
417	0.1	0.2	Extremely Low	Low Negative
418	0.0	-0.1	Extremely Low	Not Significant
419	-0.5	-1.8	Very Low	Not Significant
420	-0.3	-1.3	Very Low	Not Significant
421	-0.2	-0.9	Extremely Low	Not Significant
422	-0.2	-0.9	Extremely Low	Not Significant
423	-0.2	-0.8	Extremely Low	Not Significant
424	-0.1	-0.4	Extremely Low	Not Significant
425	-0.2	-0.7	Extremely Low	Not Significant
426	-0.2	-0.6	Extremely Low	Not Significant
427	-0.1	-0.4	Extremely Low	Not Significant
428	0.0	0.0	Extremely Low	Not Significant
433	0.1	0.2	Extremely Low	Low Negative
434	0.1	0.2	Extremely Low	Low Negative
435	0.0	0.2	Extremely Low	Not Significant
436	0.0	0.1	Extremely Low	Not Significant
437	0.1	0.2	Extremely Low	Not Significant
438	0.0	0.1	Extremely Low	Not Significant
439	0.0	0.1	Extremely Low	Not Significant
440	0.0	0.1	Extremely Low	Not Significant
441	-0.7	-3.1	Very Low	Not Significant
442	0.2	1.0	Extremely Low	Not Significant
443	2.2	9.3	Low	Low Negative
444	1.5	6.0	Low	Low Negative
445	3.1	12.6	Moderate	Low Negative

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
446	2.3	9.2	Low	Low Negative
447	0.4	1.8	Very Low	Not Significant
448	1.4	5.8	Low	Low Negative
449	1.1	4.6	Very Low	Not Significant
450	0.3	1.3	Very Low	Not Significant
451	1.9	8.1	Low	Low Negative
452	2.1	8.8	Low	Low Negative
453	0.6	2.6	Very Low	Not Significant
454	0.9	3.9	Very Low	Not Significant
455	0.4	1.6	Very Low	Not Significant
456	-0.8	-3.4	Very Low	Not Significant
457	0.2	0.7	Extremely Low	Not Significant
458	1.2	5.2	Low	Low Negative
459	-0.2	-0.9	Extremely Low	Not Significant
460	0.0	-0.1	Extremely Low	Not Significant
461	0.0	-0.1	Extremely Low	Not Significant
462	1.2	5.4	Low	Low Negative
463	0.5	2.3	Very Low	Not Significant
464	0.7	3.1	Very Low	Not Significant
465	0.9	4.2	Very Low	Not Significant
466	0.8	3.8	Very Low	Not Significant
467	1.7	7.7	Low	Low Negative
468	1.2	5.7	Low	Low Negative
469	2.7	11.5	Moderate	Low Negative
470	1.6	6.9	Low	Low Negative
471	1.3	5.6	Low	Low Negative
472	0.8	3.6	Very Low	Not Significant
473	0.2	0.7	Extremely Low	Not Significant
474	-0.3	-1.2	Very Low	Not Significant
475	-1.0	-4.6	Very Low	Not Significant
476	-2.4	-10.0	Moderate	Moderate Positive
477	0.4	1.5	Very Low	Low Negative
478	0.0	-0.2	Extremely Low	Not Significant
479	-0.1	-0.3	Extremely Low	Not Significant
480	0.0	-0.2	Extremely Low	Not Significant
481	0.0	-0.1	Extremely Low	Not Significant
482	-0.2	-0.7	Extremely Low	Not Significant
486	-0.2	-0.7	Extremely Low	Not Significant
487	-0.2	-1.0	Extremely Low	Not Significant
488	-0.2	-0.9	Extremely Low	Not Significant
489	-0.4	-1.5	Very Low	Not Significant
490	-0.1	-0.7	Extremely Low	Not Significant
491	-0.1	-0.5	Extremely Low	Not Significant
492	-0.1	-0.6	Extremely Low	Not Significant
493	-0.1	-0.7	Extremely Low	Not Significant
494	-0.1	-0.5	Extremely Low	Not Significant
495	0.0	-0.1	Extremely Low	Not Significant
496	0.0	-0.2	Extremely Low	Not Significant

Receptor ID	DS-DM NO ₂ Annual Mean (µg/m ³)	DS-DM NO ₂ Annual Mean (%)	DS-DM NO ₂ Annual Mean - Magnitude	DS-DM NO ₂ Annual Mean - Significance
497	-0.2	-0.8	Extremely Low	Not Significant
498	-0.3	-1.2	Very Low	Not Significant
499	0.0	0.1	Extremely Low	Not Significant
500	0.1	0.5	Extremely Low	Not Significant
501	0.7	3.2	Very Low	Not Significant
502	0.6	2.8	Very Low	Not Significant
503	0.3	1.2	Very Low	Not Significant
504	0.5	2.0	Very Low	Not Significant
505	0.0	0.2	Extremely Low	Not Significant
506	-0.2	-1.0	Very Low	Not Significant
507	-0.1	-0.3	Extremely Low	Not Significant
508	0.6	2.9	Very Low	Not Significant
509	0.6	2.9	Very Low	Not Significant
510	0.6	3.2	Very Low	Not Significant
511	0.7	3.5	Very Low	Not Significant
512	0.0	0.0	Extremely Low	Not Significant
513	0.1	0.5	Extremely Low	Not Significant
514	0.0	0.1	Extremely Low	Not Significant
515	-0.1	-0.6	Extremely Low	Not Significant
516	-0.2	-0.9	Extremely Low	Not Significant
517	-0.2	-0.6	Extremely Low	Not Significant
518	-0.3	-0.8	Extremely Low	Not Significant
548	-3.0	-12.7	Moderate	Moderate Positive
WI1	4.4	23.1	High	Low Negative
WI2	4.2	21.7	High	Low Negative
WI4	3.6	18.7	High	Low Negative
WI3	5.1	26.4	Very High	Moderate Negative
WI5	4.3	22.4	High	Low Negative
WI6	1.3	6.6	Low	Low Negative
WI7	2.5	13.0	Moderate	Low Negative
WI8	1.0	5.1	Low	Low Negative
WI9	0.0	0.0	Extremely Low	Not Significant
WI10	0.1	0.8	Extremely Low	Not Significant
WI11	5.0	25.6	Very High	Moderate Negative

Table A 5 – Magnitude and Significance of the change in Predicted Annual Mean PM₁₀ Concentrations, Do-Minimum to Do-Something (2015)

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
HBC6	0.1	0.7	Extremely Low	Not Significant
HBC1	0.1	0.7	Extremely Low	Not Significant
HBC2	0.2	0.8	Extremely Low	Not Significant
HBC3	0.1	0.5	Extremely Low	Not Significant
HBC4	0.1	0.6	Extremely Low	Not Significant
HBC5	0.2	0.9	Extremely Low	Not Significant
V8	0.1	0.7	Extremely Low	Not Significant
HBC9	0.2	0.9	Extremely Low	Not Significant
HBC10	-0.2	-1.2	Very Low	Not Significant
HBC13	0.1	0.5	Extremely Low	Not Significant
HBC14	0.2	0.8	Extremely Low	Not Significant
HBC15	0.1	0.5	Extremely Low	Not Significant
V14	0.0	0.2	Extremely Low	Not Significant
V15	0.0	-0.1	Extremely Low	Not Significant
HBC18	-2.4	-11.2	Moderate	Low Positive
MG1	-2.2	-11.0	Moderate	Low Positive
V18	-4.6	-19.6	High	Moderate Positive
V19	-3.2	-14.8	Moderate	Low Positive
MG4	-3.0	-13.9	Moderate	Low Positive
MG5	-2.7	-12.8	Moderate	Low Positive
MG6	-2.1	-10.6	Moderate	Low Positive
MG7	-2.5	-12.2	Moderate	Low Positive
MG8	-2.7	-12.8	Moderate	Low Positive
MG9	-1.9	-9.5	Low	Not Significant
MG10	-2.1	-10.6	Moderate	Low Positive
MG11	-1.5	-7.8	Low	Not Significant
HBC0	-0.4	-2.1	Very Low	Not Significant
MG15	-3.4	-14.3	Moderate	Moderate Positive
MG16	0.4	2.1	Very Low	Not Significant
MG17	0.2	1.1	Very Low	Not Significant
MG18	0.3	1.7	Very Low	Not Significant
MG19	0.1	0.5	Extremely Low	Not Significant
MG20	-0.2	-1.0	Very Low	Not Significant
V35	-5.3	-21.7	High	Moderate Positive
MG22	-1.4	-6.9	Low	Not Significant
MG23	-1.2	-6.3	Low	Not Significant
1	0.0	0.1	Extremely Low	Not Significant
2	0.0	-0.2	Extremely Low	Not Significant
3	0.0	0.0	Extremely Low	Not Significant
4	0.0	-0.2	Extremely Low	Not Significant
5	0.0	-0.2	Extremely Low	Not Significant
6	0.0	-0.1	Extremely Low	Not Significant
7	0.0	0.1	Extremely Low	Not Significant
8	0.0	0.1	Extremely Low	Not Significant
9	0.1	0.3	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
10	0.0	-0.1	Extremely Low	Not Significant
11	0.1	0.5	Extremely Low	Not Significant
12	0.1	0.3	Extremely Low	Not Significant
13	0.1	0.3	Extremely Low	Not Significant
14	0.1	0.3	Extremely Low	Not Significant
15	0.1	0.4	Extremely Low	Not Significant
16	0.0	0.2	Extremely Low	Not Significant
17	0.1	0.4	Extremely Low	Not Significant
18	0.1	0.5	Extremely Low	Not Significant
19	0.0	0.2	Extremely Low	Not Significant
20	0.1	0.3	Extremely Low	Not Significant
21	0.0	0.2	Extremely Low	Not Significant
22	0.1	0.3	Extremely Low	Not Significant
23	0.0	0.1	Extremely Low	Not Significant
24	-0.1	-0.5	Extremely Low	Not Significant
25	0.0	-0.1	Extremely Low	Not Significant
26	0.0	0.2	Extremely Low	Not Significant
27	0.0	0.1	Extremely Low	Not Significant
28	0.0	-0.1	Extremely Low	Not Significant
29	0.0	-0.2	Extremely Low	Not Significant
30	0.0	0.0	Extremely Low	Not Significant
31	0.0	-0.1	Extremely Low	Not Significant
32	-0.1	-0.5	Extremely Low	Not Significant
33	-0.1	-0.7	Extremely Low	Not Significant
34	0.2	0.8	Extremely Low	Not Significant
35	0.0	0.1	Extremely Low	Not Significant
36	0.0	0.0	Extremely Low	Not Significant
37	0.0	0.1	Extremely Low	Not Significant
38	0.3	1.5	Very Low	Not Significant
39	0.3	1.5	Very Low	Not Significant
40	0.4	2.1	Very Low	Not Significant
41	-0.7	-3.6	Very Low	Not Significant
42	-1.7	-8.1	Low	Low Positive
43	-2.2	-10.5	Moderate	Low Positive
44	-4.0	-17.8	High	Moderate Positive
45	-4.7	-20.4	High	Moderate Positive
46	-2.0	-9.9	Low	Low Positive
47	-4.1	-18.2	High	Moderate Positive
48	-3.7	-16.7	High	Moderate Positive
49	-3.1	-14.5	Moderate	Low Positive
50	-2.1	-10.4	Moderate	Low Positive
51	-1.8	-9.2	Low	Not Significant
52	-1.8	-9.3	Low	Not Significant
53	-1.8	-9.3	Low	Not Significant
54	-2.0	-10.0	Low	Low Positive
55	-1.7	-8.8	Low	Not Significant
56	-1.6	-8.1	Low	Not Significant
57	-1.6	-8.2	Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
58	-1.4	-7.4	Low	Not Significant
59	-3.3	-15.3	High	Moderate Positive
60	-3.7	-16.5	High	Moderate Positive
61	-2.4	-11.8	Moderate	Low Positive
62	-1.5	-7.9	Low	Not Significant
63	-1.5	-7.7	Low	Not Significant
64	-3.7	-16.8	High	Moderate Positive
65	-0.2	-1.2	Very Low	Not Significant
66	-0.2	-1.1	Very Low	Not Significant
67	-0.3	-1.7	Very Low	Not Significant
68	-0.2	-0.9	Extremely Low	Not Significant
69	-0.2	-1.1	Very Low	Not Significant
70	-0.4	-1.9	Very Low	Not Significant
71	-0.3	-1.7	Very Low	Not Significant
72	0.1	0.4	Extremely Low	Not Significant
73	0.1	0.3	Extremely Low	Not Significant
74	0.0	-0.1	Extremely Low	Not Significant
75	-0.1	-0.5	Extremely Low	Not Significant
76	-0.3	-1.4	Very Low	Not Significant
77	-0.2	-0.9	Extremely Low	Not Significant
78	-0.2	-1.0	Extremely Low	Not Significant
79	-0.3	-1.6	Very Low	Not Significant
80	-0.2	-1.2	Very Low	Not Significant
81	-0.2	-1.0	Extremely Low	Not Significant
82	-0.2	-1.1	Very Low	Not Significant
83	-0.1	-0.6	Extremely Low	Not Significant
84	-0.1	-0.4	Extremely Low	Not Significant
85	-0.2	-0.9	Extremely Low	Not Significant
86	-0.1	-0.8	Extremely Low	Not Significant
87	-0.2	-1.0	Very Low	Not Significant
88	0.0	0.0	Extremely Low	Not Significant
89	0.0	-0.3	Extremely Low	Not Significant
90	0.0	0.3	Extremely Low	Not Significant
91	0.1	0.6	Extremely Low	Not Significant
92	-0.1	-0.4	Extremely Low	Not Significant
93	0.0	0.1	Extremely Low	Not Significant
94	0.0	0.2	Extremely Low	Not Significant
95	0.0	-0.1	Extremely Low	Not Significant
96	0.1	0.4	Extremely Low	Not Significant
97	0.1	0.3	Extremely Low	Not Significant
98	0.0	-0.2	Extremely Low	Not Significant
99	0.0	0.0	Extremely Low	Not Significant
100	0.0	-0.1	Extremely Low	Not Significant
101	-0.2	-0.9	Extremely Low	Not Significant
102	-0.2	-1.1	Very Low	Not Significant
103	-0.3	-1.3	Very Low	Not Significant
104	-0.2	-1.1	Very Low	Not Significant
105	-0.2	-1.1	Very Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
106	-0.1	-0.3	Extremely Low	Not Significant
107	0.0	-0.3	Extremely Low	Not Significant
108	-0.2	-0.9	Extremely Low	Not Significant
109	-0.2	-1.2	Very Low	Not Significant
110	-0.1	-0.7	Extremely Low	Not Significant
111	0.0	-0.1	Extremely Low	Not Significant
112	-0.2	-0.9	Extremely Low	Not Significant
113	-0.1	-0.6	Extremely Low	Not Significant
114	0.0	0.0	Extremely Low	Not Significant
115	0.0	0.0	Extremely Low	Not Significant
116	0.0	-0.1	Extremely Low	Not Significant
117	0.0	0.1	Extremely Low	Not Significant
118	0.0	0.1	Extremely Low	Not Significant
119	-0.3	-1.6	Very Low	Not Significant
120	-0.3	-1.6	Very Low	Not Significant
121	-0.3	-1.7	Very Low	Not Significant
122	-0.2	-1.2	Very Low	Not Significant
123	-0.1	-0.8	Extremely Low	Not Significant
124	-0.2	-1.0	Very Low	Not Significant
125	0.0	0.0	Extremely Low	Not Significant
126	-0.1	-0.3	Extremely Low	Not Significant
127	0.0	-0.2	Extremely Low	Not Significant
128	-0.1	-0.5	Extremely Low	Not Significant
129	0.0	0.0	Extremely Low	Not Significant
130	0.0	0.0	Extremely Low	Not Significant
131	0.1	0.3	Extremely Low	Not Significant
132	0.0	0.2	Extremely Low	Not Significant
133	0.0	0.1	Extremely Low	Not Significant
134	0.0	0.1	Extremely Low	Not Significant
135	0.2	0.8	Extremely Low	Not Significant
136	0.1	0.6	Extremely Low	Not Significant
137	0.1	0.4	Extremely Low	Not Significant
138	0.0	-0.2	Extremely Low	Not Significant
139	0.1	0.3	Extremely Low	Not Significant
140	0.1	0.3	Extremely Low	Not Significant
141	0.1	0.3	Extremely Low	Not Significant
142	0.2	0.7	Extremely Low	Not Significant
143	0.1	0.4	Extremely Low	Not Significant
144	0.1	0.3	Extremely Low	Not Significant
145	0.1	0.3	Extremely Low	Not Significant
146	0.0	0.1	Extremely Low	Not Significant
147	1.4	6.1	Low	Low Negative
148	1.0	4.5	Very Low	Not Significant
149	0.1	0.6	Extremely Low	Not Significant
150	0.1	0.5	Extremely Low	Not Significant
151	0.4	2.0	Very Low	Not Significant
152	0.3	1.5	Very Low	Not Significant
153	0.3	1.5	Very Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
154	0.1	0.2	Extremely Low	Not Significant
155	0.0	0.0	Extremely Low	Not Significant
156	0.0	0.0	Extremely Low	Not Significant
157	0.2	0.8	Extremely Low	Not Significant
158	0.2	0.8	Extremely Low	Not Significant
159	0.2	1.0	Very Low	Not Significant
160	0.2	1.0	Very Low	Not Significant
161	0.2	1.0	Very Low	Not Significant
162	0.4	1.9	Very Low	Not Significant
163	-3.0	-14.1	Moderate	Low Positive
164	-3.0	-14.1	Moderate	Low Positive
165	-3.0	-14.3	Moderate	Low Positive
166	-2.7	-12.8	Moderate	Low Positive
167	-3.9	-17.8	High	Moderate Positive
168	-2.1	-10.3	Moderate	Low Positive
169	-2.1	-10.4	Moderate	Low Positive
170	-3.8	-17.2	High	Moderate Positive
171	-3.6	-16.4	High	Moderate Positive
172	-2.5	-12.3	Moderate	Low Positive
173	-3.1	-14.6	Moderate	Low Positive
174	-2.8	-13.4	Moderate	Low Positive
175	-1.8	-9.0	Low	Not Significant
176	-2.2	-11.0	Moderate	Low Positive
177	-1.5	-7.5	Low	Not Significant
178	-1.6	-7.9	Low	Not Significant
179	-1.6	-8.0	Low	Not Significant
180	-3.0	-14.3	Moderate	Low Positive
181	-2.7	-13.1	Moderate	Low Positive
182	-2.5	-12.2	Moderate	Low Positive
183	-2.7	-12.9	Moderate	Low Positive
184	-2.5	-12.0	Moderate	Low Positive
185	-2.6	-12.5	Moderate	Low Positive
186	-2.0	-9.6	Low	Low Positive
187	-1.9	-9.1	Low	Low Positive
188	-2.3	-10.4	Moderate	Low Positive
189	-2.7	-12.1	Moderate	Low Positive
190	-2.5	-12.1	Moderate	Low Positive
191	-2.4	-11.8	Moderate	Low Positive
192	-2.6	-11.1	Moderate	Low Positive
193	-1.6	-7.9	Low	Not Significant
194	-1.9	-9.6	Low	Low Positive
195	-1.8	-9.2	Low	Low Positive
196	-2.0	-9.8	Low	Low Positive
197	-1.4	-7.0	Low	Not Significant
198	-1.4	-6.9	Low	Not Significant
199	-1.4	-7.0	Low	Not Significant
200	-0.9	-4.8	Very Low	Not Significant
201	-0.8	-4.1	Very Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
202	-0.9	-4.3	Very Low	Not Significant
203	-1.2	-5.9	Low	Low Positive
204	-1.2	-6.1	Low	Low Positive
205	-1.5	-7.7	Low	Low Positive
206	-1.9	-8.9	Low	Low Positive
207	-0.9	-4.8	Very Low	Not Significant
208	-0.9	-4.3	Very Low	Not Significant
209	-1.0	-5.3	Low	Not Significant
210	-1.5	-7.4	Low	Not Significant
211	-1.3	-6.7	Low	Not Significant
212	-0.7	-3.4	Very Low	Not Significant
213	-0.7	-3.7	Very Low	Not Significant
214	-0.8	-3.9	Very Low	Not Significant
215	-0.6	-3.2	Very Low	Not Significant
216	-0.7	-3.6	Very Low	Not Significant
217	-0.7	-3.5	Very Low	Not Significant
218	-1.0	-5.4	Low	Not Significant
219	-1.3	-6.4	Low	Not Significant
220	-1.3	-6.5	Low	Low Positive
221	-1.0	-5.1	Low	Low Positive
222	-1.3	-6.5	Low	Not Significant
223	-1.1	-5.8	Low	Not Significant
224	-1.5	-7.3	Low	Not Significant
225	-1.8	-8.7	Low	Low Positive
226	-1.3	-6.9	Low	Not Significant
227	-1.7	-8.7	Low	Not Significant
228	-2.5	-12.1	Moderate	Low Positive
229	-3.2	-14.6	Moderate	Low Positive
230	-3.1	-13.8	Moderate	Low Positive
231	-2.8	-13.1	Moderate	Low Positive
232	-3.8	-16.9	High	Moderate Positive
233	-2.2	-10.9	Moderate	Low Positive
234	-1.3	-6.4	Low	Not Significant
235	-1.0	-5.0	Very Low	Not Significant
236	-1.6	-7.6	Low	Low Positive
237	-1.0	-5.0	Very Low	Not Significant
238	-0.8	-4.2	Very Low	Not Significant
239	-1.0	-4.7	Very Low	Not Significant
240	-0.6	-3.1	Very Low	Not Significant
241	-0.5	-2.8	Very Low	Not Significant
242	-0.6	-3.0	Very Low	Not Significant
243	-0.5	-2.8	Very Low	Not Significant
244	-0.4	-1.9	Very Low	Not Significant
245	-0.4	-2.2	Very Low	Not Significant
246	-0.7	-3.7	Very Low	Not Significant
247	-0.8	-4.0	Very Low	Not Significant
248	-0.5	-2.4	Very Low	Not Significant
249	-0.4	-2.3	Very Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
250	-0.6	-3.1	Very Low	Not Significant
251	-0.4	-2.1	Very Low	Not Significant
252	-0.4	-2.2	Very Low	Not Significant
253	-0.3	-1.6	Very Low	Not Significant
254	-0.4	-2.2	Very Low	Not Significant
255	-0.3	-1.7	Very Low	Not Significant
256	-0.3	-1.5	Very Low	Not Significant
257	-0.3	-1.4	Very Low	Not Significant
258	-0.2	-1.2	Very Low	Not Significant
259	-0.3	-1.4	Very Low	Not Significant
260	-0.3	-1.6	Very Low	Not Significant
261	-0.5	-2.6	Very Low	Not Significant
262	-0.5	-2.6	Very Low	Not Significant
263	-0.9	-4.7	Very Low	Not Significant
264	-0.9	-4.9	Very Low	Not Significant
265	-1.1	-5.6	Low	Not Significant
266	-0.6	-3.1	Very Low	Not Significant
267	-0.6	-3.1	Very Low	Not Significant
268	-1.2	-6.0	Low	Low Positive
269	-1.7	-8.8	Low	Not Significant
270	-1.1	-5.5	Low	Not Significant
271	-1.7	-8.7	Low	Not Significant
272	-3.4	-16.0	High	Moderate Positive
273	-1.5	-7.6	Low	Not Significant
274	-1.8	-9.0	Low	Not Significant
275	-2.7	-13.1	Moderate	Low Positive
276	-1.8	-9.1	Low	Not Significant
277	-2.1	-10.3	Moderate	Low Positive
278	-2.3	-11.2	Moderate	Low Positive
279	-1.6	-8.4	Low	Not Significant
280	-2.0	-9.8	Low	Not Significant
281	-1.7	-8.8	Low	Not Significant
282	-1.2	-6.4	Low	Not Significant
283	-0.8	-4.5	Very Low	Not Significant
284	-0.8	-4.1	Very Low	Not Significant
285	-0.5	-2.9	Very Low	Not Significant
286	-0.4	-2.3	Very Low	Not Significant
287	-0.3	-1.9	Very Low	Not Significant
288	-0.3	-1.8	Very Low	Not Significant
289	-0.4	-2.1	Very Low	Not Significant
290	-0.5	-2.5	Very Low	Not Significant
291	-0.6	-3.1	Very Low	Not Significant
292	-0.6	-3.4	Very Low	Not Significant
293	-1.1	-5.7	Low	Not Significant
294	-1.3	-6.6	Low	Not Significant
295	-1.1	-5.7	Low	Not Significant
296	-1.2	-6.5	Low	Not Significant
297	-0.9	-4.8	Very Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
298	-1.0	-5.1	Low	Not Significant
299	-0.7	-4.0	Very Low	Not Significant
300	-1.0	-5.5	Low	Not Significant
301	-1.4	-7.2	Low	Not Significant
302	-0.7	-3.9	Very Low	Not Significant
303	-0.9	-5.0	Low	Not Significant
304	-0.9	-4.6	Very Low	Not Significant
305	-2.0	-10.2	Moderate	Low Positive
306	-2.4	-11.7	Moderate	Low Positive
307	-0.9	-4.5	Very Low	Not Significant
308	-0.8	-4.2	Very Low	Not Significant
309	-0.7	-3.7	Very Low	Not Significant
310	-0.7	-3.5	Very Low	Not Significant
311	-0.4	-1.9	Very Low	Not Significant
312	-0.5	-2.8	Very Low	Not Significant
313	-0.4	-2.2	Very Low	Not Significant
314	-0.4	-2.2	Very Low	Not Significant
315	-0.3	-1.8	Very Low	Not Significant
316	-0.4	-2.0	Very Low	Not Significant
317	-0.4	-2.1	Very Low	Not Significant
318	-0.3	-1.8	Very Low	Not Significant
319	-0.5	-2.8	Very Low	Not Significant
320	-0.4	-2.3	Very Low	Not Significant
321	-0.5	-2.6	Very Low	Not Significant
322	-0.5	-2.6	Very Low	Not Significant
323	-0.4	-2.2	Very Low	Not Significant
324	-0.4	-2.2	Very Low	Not Significant
325	-0.3	-1.9	Very Low	Not Significant
326	-0.3	-1.9	Very Low	Not Significant
327	-0.2	-1.0	Very Low	Not Significant
328	-0.2	-1.3	Very Low	Not Significant
329	-1.1	-5.9	Low	Not Significant
330	-0.9	-5.0	Very Low	Not Significant
331	-3.1	-14.0	Moderate	Low Positive
332	-1.1	-5.2	Low	Low Positive
333	-0.6	-2.9	Very Low	Not Significant
334	-0.3	-1.8	Very Low	Not Significant
335	-0.3	-1.8	Very Low	Not Significant
336	-0.4	-2.3	Very Low	Not Significant
337	-0.4	-2.2	Very Low	Not Significant
338	-0.3	-1.8	Very Low	Not Significant
339	-0.4	-1.9	Very Low	Not Significant
340	-0.2	-1.2	Very Low	Not Significant
341	-0.2	-1.2	Very Low	Not Significant
342	-0.2	-1.2	Very Low	Not Significant
343	-0.1	-0.4	Extremely Low	Not Significant
344	0.0	0.3	Extremely Low	Not Significant
345	0.0	0.0	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
346	0.1	0.3	Extremely Low	Not Significant
347	0.0	-0.3	Extremely Low	Not Significant
348	0.0	-0.3	Extremely Low	Not Significant
349	-0.1	-0.7	Extremely Low	Not Significant
350	-0.2	-1.0	Very Low	Not Significant
351	-0.4	-2.1	Very Low	Not Significant
352	-0.3	-1.7	Very Low	Not Significant
353	-0.3	-1.5	Very Low	Not Significant
354	-0.2	-1.3	Very Low	Not Significant
355	0.1	0.3	Extremely Low	Not Significant
356	0.1	0.3	Extremely Low	Not Significant
357	0.4	2.2	Very Low	Not Significant
358	0.5	2.6	Very Low	Not Significant
359	0.2	1.3	Very Low	Not Significant
360	0.4	2.2	Very Low	Not Significant
361	0.4	2.1	Very Low	Not Significant
362	0.4	2.3	Very Low	Not Significant
363	0.5	2.6	Very Low	Not Significant
364	0.5	2.4	Very Low	Not Significant
365	0.2	1.3	Very Low	Not Significant
366	0.1	0.3	Extremely Low	Not Significant
367	0.1	0.3	Extremely Low	Not Significant
368	0.0	0.0	Extremely Low	Not Significant
369	0.0	0.0	Extremely Low	Not Significant
370	0.0	-0.1	Extremely Low	Not Significant
371	0.0	0.2	Extremely Low	Not Significant
372	0.8	4.2	Very Low	Not Significant
373	0.8	4.1	Very Low	Not Significant
374	0.1	0.5	Extremely Low	Not Significant
375	-0.2	-0.8	Extremely Low	Not Significant
376	-0.4	-1.8	Very Low	Not Significant
377	-0.4	-1.8	Very Low	Not Significant
378	0.3	1.6	Very Low	Not Significant
379	0.0	-0.3	Extremely Low	Not Significant
380	0.1	0.7	Extremely Low	Not Significant
381	-0.2	-1.2	Very Low	Not Significant
382	-0.2	-1.3	Very Low	Not Significant
383	-0.2	-1.0	Very Low	Not Significant
384	-0.3	-1.6	Very Low	Not Significant
385	-0.7	-3.7	Very Low	Not Significant
386	-0.5	-2.6	Very Low	Not Significant
387	0.4	2.2	Very Low	Not Significant
388	0.4	1.9	Very Low	Not Significant
389	0.1	0.4	Extremely Low	Not Significant
390	-0.3	-1.3	Very Low	Not Significant
391	-0.1	-0.5	Extremely Low	Not Significant
392	-0.3	-1.3	Very Low	Not Significant
393	0.0	-0.1	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
394	0.1	0.3	Extremely Low	Not Significant
395	-0.1	-0.8	Extremely Low	Not Significant
396	-0.2	-0.8	Extremely Low	Not Significant
397	-0.1	-0.7	Extremely Low	Not Significant
398	-0.1	-0.7	Extremely Low	Not Significant
399	-0.1	-0.6	Extremely Low	Not Significant
400	-0.2	-0.8	Extremely Low	Not Significant
401	-0.1	-0.6	Extremely Low	Not Significant
402	-0.1	-0.4	Extremely Low	Not Significant
403	0.0	-0.1	Extremely Low	Not Significant
404	-0.1	-0.3	Extremely Low	Not Significant
405	-0.2	-0.8	Extremely Low	Not Significant
406	-0.1	-0.6	Extremely Low	Not Significant
407	-0.1	-0.4	Extremely Low	Not Significant
408	0.0	-0.2	Extremely Low	Not Significant
409	0.0	0.2	Extremely Low	Not Significant
410	0.1	0.5	Extremely Low	Not Significant
411	-0.1	-0.4	Extremely Low	Not Significant
412	-0.2	-0.7	Extremely Low	Not Significant
413	-0.2	-0.7	Extremely Low	Not Significant
414	-0.1	-0.6	Extremely Low	Not Significant
415	-0.1	-0.5	Extremely Low	Not Significant
416	-0.1	-0.4	Extremely Low	Not Significant
417	-0.1	-0.5	Extremely Low	Not Significant
418	0.0	-0.2	Extremely Low	Not Significant
419	-0.2	-1.0	Extremely Low	Not Significant
420	-0.2	-0.8	Extremely Low	Not Significant
421	-0.1	-0.4	Extremely Low	Not Significant
422	-0.1	-0.3	Extremely Low	Not Significant
423	0.0	-0.2	Extremely Low	Not Significant
424	0.0	-0.2	Extremely Low	Not Significant
425	0.0	-0.2	Extremely Low	Not Significant
426	-0.1	-0.3	Extremely Low	Not Significant
427	-0.1	-0.4	Extremely Low	Not Significant
428	-0.1	-0.3	Extremely Low	Not Significant
433	-0.1	-0.4	Extremely Low	Not Significant
434	-0.1	-0.4	Extremely Low	Not Significant
435	0.0	-0.2	Extremely Low	Not Significant
436	0.0	-0.2	Extremely Low	Not Significant
437	-0.1	-0.3	Extremely Low	Not Significant
438	-0.1	-0.3	Extremely Low	Not Significant
439	0.0	-0.2	Extremely Low	Not Significant
440	-0.1	-0.4	Extremely Low	Not Significant
441	-0.3	-1.5	Very Low	Not Significant
442	-0.4	-2.1	Very Low	Not Significant
443	0.8	3.9	Very Low	Not Significant
444	0.6	2.7	Very Low	Not Significant
445	1.4	6.8	Low	Low Negative

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
446	0.9	4.5	Very Low	Not Significant
447	0.5	2.7	Very Low	Not Significant
448	0.5	2.5	Very Low	Not Significant
449	0.3	1.7	Very Low	Not Significant
450	0.4	2.1	Very Low	Not Significant
451	0.6	3.1	Very Low	Not Significant
452	0.6	3.0	Very Low	Not Significant
453	0.4	2.1	Very Low	Not Significant
454	0.7	3.5	Very Low	Not Significant
455	0.5	2.5	Very Low	Not Significant
456	0.0	0.1	Extremely Low	Not Significant
457	0.0	0.0	Extremely Low	Not Significant
458	0.3	1.4	Very Low	Not Significant
459	0.2	1.1	Very Low	Not Significant
460	0.3	1.4	Very Low	Not Significant
461	0.2	1.1	Very Low	Not Significant
462	0.2	1.3	Very Low	Not Significant
463	0.1	0.4	Extremely Low	Not Significant
464	0.1	0.7	Extremely Low	Not Significant
465	0.2	1.1	Very Low	Not Significant
466	0.2	1.0	Extremely Low	Not Significant
467	0.4	2.4	Very Low	Not Significant
468	0.3	1.5	Very Low	Not Significant
469	1.1	5.8	Low	Low Negative
470	1.1	5.8	Low	Low Negative
471	0.8	4.1	Very Low	Not Significant
472	0.6	3.2	Very Low	Not Significant
473	0.3	1.8	Very Low	Not Significant
474	-0.2	-0.9	Extremely Low	Not Significant
475	-0.4	-2.1	Very Low	Not Significant
476	-0.8	-4.2	Very Low	Not Significant
477	-0.1	-0.6	Extremely Low	Not Significant
478	-0.1	-0.3	Extremely Low	Not Significant
479	-0.1	-0.4	Extremely Low	Not Significant
480	-0.1	-0.3	Extremely Low	Not Significant
481	0.0	-0.3	Extremely Low	Not Significant
482	-0.1	-0.7	Extremely Low	Not Significant
486	-0.1	-0.7	Extremely Low	Not Significant
487	-0.3	-1.3	Very Low	Not Significant
488	-0.2	-1.0	Very Low	Not Significant
489	-0.3	-1.7	Very Low	Not Significant
490	-0.1	-0.5	Extremely Low	Not Significant
491	-0.1	-0.7	Extremely Low	Not Significant
492	-0.1	-0.6	Extremely Low	Not Significant
493	-0.1	-0.5	Extremely Low	Not Significant
494	-0.1	-0.4	Extremely Low	Not Significant
495	0.0	-0.2	Extremely Low	Not Significant
496	0.0	-0.2	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Annual Mean (µg/m ³)	DS-DM PM ₁₀ Annual Mean (%)	DS-DM PM ₁₀ Annual Mean - Magnitude	DS-DM PM ₁₀ Annual Mean - Significance
497	-0.2	-0.8	Extremely Low	Not Significant
498	-0.1	-0.7	Extremely Low	Not Significant
499	0.0	-0.1	Extremely Low	Not Significant
500	0.0	0.1	Extremely Low	Not Significant
501	0.2	1.0	Very Low	Not Significant
502	0.2	0.8	Extremely Low	Not Significant
503	0.1	0.3	Extremely Low	Not Significant
504	0.1	0.6	Extremely Low	Not Significant
505	0.0	-0.1	Extremely Low	Not Significant
506	-0.1	-0.7	Extremely Low	Not Significant
507	-0.1	-0.4	Extremely Low	Not Significant
508	0.1	0.8	Extremely Low	Not Significant
509	0.1	0.7	Extremely Low	Not Significant
510	0.2	0.9	Extremely Low	Not Significant
511	0.2	0.9	Extremely Low	Not Significant
512	0.0	-0.2	Extremely Low	Not Significant
513	0.0	0.0	Extremely Low	Not Significant
514	0.0	-0.1	Extremely Low	Not Significant
515	-0.1	-0.6	Extremely Low	Not Significant
516	-0.2	-0.8	Extremely Low	Not Significant
517	-0.2	-0.8	Extremely Low	Not Significant
518	-0.2	-0.9	Extremely Low	Not Significant
548	-1.0	-5.1	Low	Not Significant
WI1	1.7	9.4	Low	Not Significant
WI2	1.6	8.9	Low	Not Significant
WI4	1.0	5.8	Low	Not Significant
WI3	1.9	10.9	Moderate	Low Negative
WI5	1.2	7.0	Low	Not Significant
WI6	0.3	1.9	Very Low	Not Significant
WI7	0.7	3.9	Very Low	Not Significant
WI8	0.2	1.4	Very Low	Not Significant
WI9	0.0	-0.2	Extremely Low	Not Significant
WI0	0.0	0.1	Extremely Low	Not Significant
WI11	1.9	10.7	Moderate	Low Negative

Table A 6 – Magnitude and Significance of the change in Daily Mean PM₁₀ Concentrations, Do-Minimum to Do-Something (2015)

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
HBC6	0.2	3.9	Extremely Low	Not Significant
HBC1	0.2	4.7	Extremely Low	Not Significant
HBC2	0.3	5.2	Extremely Low	Not Significant
HBC3	0.1	4.2	Extremely Low	Not Significant
HBC4	0.2	4.5	Extremely Low	Not Significant
HBC5	0.4	5.3	Extremely Low	Not Significant
V8	0.2	4.5	Extremely Low	Not Significant
HBC9	0.3	4.9	Extremely Low	Not Significant
HBC10	-0.3	-9.1	Extremely Low	Not Significant
HBC13	0.1	3.4	Extremely Low	Not Significant
HBC14	0.3	4.8	Extremely Low	Not Significant
HBC15	0.2	2.9	Extremely Low	Not Significant
V14	0.0	1.6	Extremely Low	Not Significant
V15	0.0	-0.7	Extremely Low	Not Significant
HBC18	-3.1	-57.0	Low	Low Positive
MG1	-2.3	-61.2	Very Low	Low Positive
V18	-6.8	-76.3	Moderate	Moderate Positive
V19	-3.9	-69.1	Low	Low Positive
MG4	-3.5	-67.7	Low	Low Positive
MG5	-3.0	-65.5	Low	Low Positive
MG6	-2.1	-60.7	Very Low	Low Positive
MG7	-2.7	-64.6	Very Low	Low Positive
MG8	-3.2	-64.4	Low	Low Positive
MG9	-1.9	-57.1	Very Low	Low Positive
MG10	-2.1	-61.5	Very Low	Low Positive
MG11	-1.3	-53.0	Very Low	Not Significant
HBC0	-0.5	-14.9	Extremely Low	Not Significant
MG15	-6.0	-59.4	Moderate	Moderate Positive
MG16	0.6	14.2	Extremely Low	Not Significant
MG17	0.2	9.8	Extremely Low	Not Significant
MG18	0.3	14.8	Extremely Low	Not Significant
MG19	0.1	4.0	Extremely Low	Not Significant
MG20	-0.2	-8.1	Extremely Low	Not Significant
V35	-8.5	-78.3	Moderate	Moderate Positive
MG22	-1.4	-45.2	Very Low	Low Positive
MG23	-1.2	-42.8	Very Low	Not Significant
1	0.0	0.5	Extremely Low	Not Significant
2	0.0	-2.7	Extremely Low	Not Significant
3	0.0	0.2	Extremely Low	Not Significant
4	0.0	-1.8	Extremely Low	Not Significant
5	0.0	-2.2	Extremely Low	Not Significant
6	0.0	-1.1	Extremely Low	Not Significant
7	0.0	0.7	Extremely Low	Not Significant
8	0.0	1.0	Extremely Low	Not Significant
9	0.1	2.2	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
10	0.0	-1.5	Extremely Low	Not Significant
11	0.1	3.9	Extremely Low	Not Significant
12	0.1	2.7	Extremely Low	Not Significant
13	0.1	2.8	Extremely Low	Not Significant
14	0.0	2.5	Extremely Low	Not Significant
15	0.1	2.9	Extremely Low	Not Significant
16	0.0	2.0	Extremely Low	Not Significant
17	0.1	2.7	Extremely Low	Not Significant
18	0.1	3.5	Extremely Low	Not Significant
19	0.0	2.0	Extremely Low	Not Significant
20	0.1	2.3	Extremely Low	Not Significant
21	0.0	1.6	Extremely Low	Not Significant
22	0.1	3.0	Extremely Low	Not Significant
23	0.0	1.1	Extremely Low	Not Significant
24	-0.1	-4.0	Extremely Low	Not Significant
25	0.0	-0.9	Extremely Low	Not Significant
26	0.0	1.9	Extremely Low	Not Significant
27	0.0	0.8	Extremely Low	Not Significant
28	0.0	-1.3	Extremely Low	Not Significant
29	0.0	-1.0	Extremely Low	Not Significant
30	0.0	-0.2	Extremely Low	Not Significant
31	0.0	-0.6	Extremely Low	Not Significant
32	-0.1	-3.5	Extremely Low	Not Significant
33	-0.2	-4.6	Extremely Low	Not Significant
34	0.2	5.3	Extremely Low	Not Significant
35	0.0	0.9	Extremely Low	Not Significant
36	0.0	0.3	Extremely Low	Not Significant
37	0.0	0.4	Extremely Low	Not Significant
38	0.4	10.5	Extremely Low	Not Significant
39	0.5	10.1	Extremely Low	Not Significant
40	0.5	15.6	Extremely Low	Not Significant
41	-0.9	-23.9	Extremely Low	Not Significant
42	-1.9	-47.2	Very Low	Low Positive
43	-2.4	-57.7	Very Low	Low Positive
44	-5.2	-75.4	Moderate	Moderate Positive
45	-6.5	-79.6	Moderate	Moderate Positive
46	-2.0	-58.6	Very Low	Low Positive
47	-5.3	-76.4	Moderate	Moderate Positive
48	-4.9	-72.4	Low	Low Positive
49	-3.8	-68.8	Low	Low Positive
50	-2.1	-59.9	Very Low	Low Positive
51	-1.7	-56.8	Very Low	Low Positive
52	-1.7	-57.2	Very Low	Low Positive
53	-1.7	-57.5	Very Low	Low Positive
54	-2.0	-58.7	Very Low	Low Positive
55	-1.7	-55.1	Very Low	Low Positive
56	-1.5	-53.1	Very Low	Not Significant
57	-1.5	-53.5	Very Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
58	-1.3	-50.3	Very Low	Not Significant
59	-4.2	-70.3	Low	Low Positive
60	-4.8	-72.3	Low	Low Positive
61	-2.6	-63.6	Very Low	Low Positive
62	-1.4	-52.4	Very Low	Not Significant
63	-1.5	-49.0	Very Low	Low Positive
64	-4.8	-73.2	Low	Low Positive
65	-0.2	-10.2	Extremely Low	Not Significant
66	-0.2	-10.2	Extremely Low	Not Significant
67	-0.4	-12.4	Extremely Low	Not Significant
68	-0.2	-7.2	Extremely Low	Not Significant
69	-0.2	-8.8	Extremely Low	Not Significant
70	-0.4	-13.4	Extremely Low	Not Significant
71	-0.3	-12.7	Extremely Low	Not Significant
72	0.1	3.3	Extremely Low	Not Significant
73	0.1	2.8	Extremely Low	Not Significant
74	0.0	-0.8	Extremely Low	Not Significant
75	-0.1	-4.1	Extremely Low	Not Significant
76	-0.4	-8.7	Extremely Low	Not Significant
77	-0.1	-8.5	Extremely Low	Not Significant
78	-0.1	-9.2	Extremely Low	Not Significant
79	-0.3	-12.7	Extremely Low	Not Significant
80	-0.2	-10.5	Extremely Low	Not Significant
81	-0.2	-8.0	Extremely Low	Not Significant
82	-0.2	-8.3	Extremely Low	Not Significant
83	-0.1	-4.8	Extremely Low	Not Significant
84	-0.1	-3.1	Extremely Low	Not Significant
85	-0.2	-7.5	Extremely Low	Not Significant
86	-0.1	-7.0	Extremely Low	Not Significant
87	-0.2	-7.9	Extremely Low	Not Significant
88	0.0	-0.4	Extremely Low	Not Significant
89	0.0	-2.7	Extremely Low	Not Significant
90	0.0	2.3	Extremely Low	Not Significant
91	0.1	5.2	Extremely Low	Not Significant
92	-0.1	-2.2	Extremely Low	Not Significant
93	0.0	0.8	Extremely Low	Not Significant
94	0.1	1.1	Extremely Low	Not Significant
95	0.0	-0.6	Extremely Low	Not Significant
96	0.2	2.3	Extremely Low	Not Significant
97	0.1	2.2	Extremely Low	Not Significant
98	0.0	-1.8	Extremely Low	Not Significant
99	0.0	-0.3	Extremely Low	Not Significant
100	0.0	-0.5	Extremely Low	Not Significant
101	-0.2	-7.8	Extremely Low	Not Significant
102	-0.2	-8.6	Extremely Low	Not Significant
103	-0.3	-9.4	Extremely Low	Not Significant
104	-0.2	-8.2	Extremely Low	Not Significant
105	-0.3	-7.3	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
106	-0.1	-2.0	Extremely Low	Not Significant
107	0.0	-2.2	Extremely Low	Not Significant
108	-0.2	-7.0	Extremely Low	Not Significant
109	-0.3	-8.8	Extremely Low	Not Significant
110	-0.2	-5.1	Extremely Low	Not Significant
111	0.0	-1.1	Extremely Low	Not Significant
112	-0.2	-6.6	Extremely Low	Not Significant
113	-0.1	-4.6	Extremely Low	Not Significant
114	0.0	0.0	Extremely Low	Not Significant
115	0.0	0.3	Extremely Low	Not Significant
116	0.0	-1.0	Extremely Low	Not Significant
117	0.0	0.6	Extremely Low	Not Significant
118	0.0	0.6	Extremely Low	Not Significant
119	-0.4	-11.4	Extremely Low	Not Significant
120	-0.4	-11.7	Extremely Low	Not Significant
121	-0.4	-11.7	Extremely Low	Not Significant
122	-0.2	-9.5	Extremely Low	Not Significant
123	-0.1	-6.9	Extremely Low	Not Significant
124	-0.2	-8.7	Extremely Low	Not Significant
125	0.0	-0.3	Extremely Low	Not Significant
126	-0.1	-2.5	Extremely Low	Not Significant
127	0.0	-1.4	Extremely Low	Not Significant
128	-0.1	-3.5	Extremely Low	Not Significant
129	0.0	0.2	Extremely Low	Not Significant
130	0.0	-0.1	Extremely Low	Not Significant
131	0.1	2.6	Extremely Low	Not Significant
132	0.0	1.9	Extremely Low	Not Significant
133	0.0	0.9	Extremely Low	Not Significant
134	0.0	0.9	Extremely Low	Not Significant
135	0.3	5.2	Extremely Low	Not Significant
136	0.2	4.7	Extremely Low	Not Significant
137	0.1	2.4	Extremely Low	Not Significant
138	-0.1	-1.3	Extremely Low	Not Significant
139	0.1	1.9	Extremely Low	Not Significant
140	0.1	2.1	Extremely Low	Not Significant
141	0.1	1.9	Extremely Low	Not Significant
142	0.3	4.2	Extremely Low	Not Significant
143	0.1	2.7	Extremely Low	Not Significant
144	0.1	2.5	Extremely Low	Not Significant
145	0.1	2.4	Extremely Low	Not Significant
146	0.0	1.1	Extremely Low	Not Significant
147	3.1	34.9	Low	Low Negative
148	1.9	27.3	Very Low	Low Negative
149	0.2	3.4	Extremely Low	Not Significant
150	0.2	2.8	Extremely Low	Not Significant
151	0.6	14.0	Extremely Low	Not Significant
152	0.4	11.3	Extremely Low	Not Significant
153	0.4	10.8	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
154	0.1	1.5	Extremely Low	Not Significant
155	0.0	-0.2	Extremely Low	Not Significant
156	0.0	-0.4	Extremely Low	Not Significant
157	0.2	5.9	Extremely Low	Not Significant
158	0.2	5.7	Extremely Low	Not Significant
159	0.3	7.1	Extremely Low	Not Significant
160	0.3	7.0	Extremely Low	Not Significant
161	0.3	7.8	Extremely Low	Not Significant
162	0.5	14.6	Extremely Low	Not Significant
163	-3.4	-69.3	Low	Low Positive
164	-3.3	-69.5	Low	Low Positive
165	-3.4	-69.9	Low	Low Positive
166	-2.9	-66.7	Very Low	Low Positive
167	-5.0	-75.9	Moderate	Moderate Positive
168	-2.1	-60.1	Very Low	Low Positive
169	-2.1	-60.1	Very Low	Low Positive
170	-4.9	-74.4	Low	Low Positive
171	-4.5	-72.8	Low	Low Positive
172	-2.8	-65.1	Very Low	Low Positive
173	-3.7	-70.0	Low	Low Positive
174	-3.1	-67.4	Low	Low Positive
175	-1.7	-55.7	Very Low	Low Positive
176	-2.3	-62.2	Very Low	Low Positive
177	-1.5	-48.3	Very Low	Low Positive
178	-1.6	-49.4	Very Low	Low Positive
179	-1.5	-51.3	Very Low	Not Significant
180	-3.5	-69.9	Low	Low Positive
181	-3.1	-66.1	Low	Low Positive
182	-2.8	-64.6	Very Low	Low Positive
183	-3.1	-65.3	Low	Low Positive
184	-2.6	-64.1	Very Low	Low Positive
185	-2.8	-65.3	Very Low	Low Positive
186	-2.7	-50.3	Very Low	Low Positive
187	-2.2	-50.5	Very Low	Low Positive
188	-3.4	-50.5	Low	Low Positive
189	-4.1	-55.8	Low	Low Positive
190	-2.8	-63.6	Very Low	Low Positive
191	-2.7	-62.8	Very Low	Low Positive
192	-4.2	-50.4	Low	Low Positive
193	-1.6	-49.5	Very Low	Low Positive
194	-2.0	-56.6	Very Low	Low Positive
195	-1.9	-55.3	Very Low	Low Positive
196	-2.1	-56.8	Very Low	Low Positive
197	-1.3	-46.6	Very Low	Not Significant
198	-1.4	-44.4	Very Low	Low Positive
199	-1.4	-45.6	Very Low	Not Significant
200	-0.8	-35.7	Extremely Low	Not Significant
201	-0.9	-27.3	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
202	-0.9	-28.8	Extremely Low	Not Significant
203	-1.3	-37.5	Very Low	Low Positive
204	-1.4	-38.3	Very Low	Low Positive
205	-1.6	-47.5	Very Low	Low Positive
206	-2.2	-50.4	Very Low	Low Positive
207	-1.0	-32.8	Extremely Low	Not Significant
208	-0.9	-29.8	Extremely Low	Not Significant
209	-0.9	-37.7	Extremely Low	Not Significant
210	-1.5	-47.8	Very Low	Low Positive
211	-1.3	-44.1	Very Low	Not Significant
212	-0.9	-21.5	Extremely Low	Not Significant
213	-0.7	-28.1	Extremely Low	Not Significant
214	-0.7	-28.4	Extremely Low	Not Significant
215	-0.5	-27.1	Extremely Low	Not Significant
216	-0.6	-28.4	Extremely Low	Not Significant
217	-0.6	-28.7	Extremely Low	Not Significant
218	-0.9	-38.5	Extremely Low	Not Significant
219	-1.2	-42.8	Very Low	Not Significant
220	-1.4	-41.0	Very Low	Low Positive
221	-1.1	-33.0	Very Low	Low Positive
222	-1.3	-42.5	Very Low	Low Positive
223	-1.1	-40.0	Very Low	Not Significant
224	-1.5	-46.3	Very Low	Low Positive
225	-2.0	-50.0	Very Low	Low Positive
226	-1.2	-46.6	Very Low	Not Significant
227	-1.7	-54.0	Very Low	Low Positive
228	-2.6	-64.9	Very Low	Low Positive
229	-4.1	-67.6	Low	Low Positive
230	-4.2	-63.9	Low	Low Positive
231	-3.7	-63.1	Low	Low Positive
232	-4.9	-73.3	Low	Low Positive
233	-2.2	-62.0	Very Low	Low Positive
234	-1.3	-41.2	Very Low	Low Positive
235	-0.9	-35.1	Extremely Low	Not Significant
236	-2.1	-42.1	Very Low	Low Positive
237	-1.1	-33.0	Very Low	Low Positive
238	-1.0	-26.7	Very Low	Low Positive
239	-1.3	-28.6	Very Low	Low Positive
240	-0.6	-23.8	Extremely Low	Not Significant
241	-0.5	-22.6	Extremely Low	Not Significant
242	-0.6	-22.0	Extremely Low	Not Significant
243	-0.5	-20.9	Extremely Low	Not Significant
244	-0.3	-15.5	Extremely Low	Not Significant
245	-0.4	-17.8	Extremely Low	Not Significant
246	-0.8	-25.6	Extremely Low	Not Significant
247	-0.7	-30.9	Extremely Low	Not Significant
248	-0.5	-16.8	Extremely Low	Not Significant
249	-0.4	-18.1	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
250	-0.6	-22.4	Extremely Low	Not Significant
251	-0.3	-18.7	Extremely Low	Not Significant
252	-0.4	-18.2	Extremely Low	Not Significant
253	-0.3	-13.0	Extremely Low	Not Significant
254	-0.4	-18.8	Extremely Low	Not Significant
255	-0.2	-15.4	Extremely Low	Not Significant
256	-0.2	-14.2	Extremely Low	Not Significant
257	-0.2	-13.6	Extremely Low	Not Significant
258	-0.2	-10.3	Extremely Low	Not Significant
259	-0.2	-11.8	Extremely Low	Not Significant
260	-0.3	-14.0	Extremely Low	Not Significant
261	-0.4	-21.3	Extremely Low	Not Significant
262	-0.4	-21.2	Extremely Low	Not Significant
263	-0.8	-34.7	Extremely Low	Not Significant
264	-0.9	-35.3	Extremely Low	Not Significant
265	-1.2	-36.7	Very Low	Low Positive
266	-0.6	-24.0	Extremely Low	Not Significant
267	-0.5	-24.8	Extremely Low	Not Significant
268	-1.4	-37.3	Very Low	Low Positive
269	-1.7	-54.9	Very Low	Low Positive
270	-1.1	-37.6	Very Low	Not Significant
271	-1.8	-53.4	Very Low	Low Positive
272	-4.1	-73.4	Low	Low Positive
273	-1.3	-51.7	Very Low	Not Significant
274	-1.8	-54.4	Very Low	Low Positive
275	-2.9	-68.0	Very Low	Low Positive
276	-1.7	-56.5	Very Low	Low Positive
277	-2.0	-61.0	Very Low	Low Positive
278	-2.3	-62.7	Very Low	Low Positive
279	-1.6	-53.6	Very Low	Not Significant
280	-1.9	-58.1	Very Low	Low Positive
281	-1.6	-54.9	Very Low	Not Significant
282	-1.1	-44.5	Very Low	Not Significant
283	-0.7	-35.9	Extremely Low	Not Significant
284	-0.6	-33.6	Extremely Low	Not Significant
285	-0.4	-26.7	Extremely Low	Not Significant
286	-0.3	-21.8	Extremely Low	Not Significant
287	-0.3	-18.3	Extremely Low	Not Significant
288	-0.2	-16.3	Extremely Low	Not Significant
289	-0.3	-19.7	Extremely Low	Not Significant
290	-0.3	-23.5	Extremely Low	Not Significant
291	-0.5	-26.0	Extremely Low	Not Significant
292	-0.6	-27.7	Extremely Low	Not Significant
293	-0.9	-41.8	Extremely Low	Not Significant
294	-1.2	-45.6	Very Low	Not Significant
295	-1.0	-41.2	Extremely Low	Not Significant
296	-1.2	-44.5	Very Low	Not Significant
297	-0.8	-37.1	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
298	-0.8	-39.3	Extremely Low	Not Significant
299	-0.6	-33.6	Extremely Low	Not Significant
300	-1.0	-39.2	Extremely Low	Not Significant
301	-1.2	-50.0	Very Low	Not Significant
302	-0.6	-31.7	Extremely Low	Not Significant
303	-0.8	-39.1	Extremely Low	Not Significant
304	-0.7	-35.5	Extremely Low	Not Significant
305	-2.0	-60.7	Very Low	Low Positive
306	-2.8	-61.9	Very Low	Low Positive
307	-0.8	-33.0	Extremely Low	Not Significant
308	-0.7	-32.5	Extremely Low	Not Significant
309	-0.7	-26.0	Extremely Low	Not Significant
310	-0.7	-25.9	Extremely Low	Not Significant
311	-0.4	-14.2	Extremely Low	Not Significant
312	-0.5	-21.8	Extremely Low	Not Significant
313	-0.3	-19.6	Extremely Low	Not Significant
314	-0.3	-18.6	Extremely Low	Not Significant
315	-0.3	-15.9	Extremely Low	Not Significant
316	-0.5	-14.5	Extremely Low	Not Significant
317	-0.4	-16.5	Extremely Low	Not Significant
318	-0.3	-14.5	Extremely Low	Not Significant
319	-0.4	-22.8	Extremely Low	Not Significant
320	-0.3	-20.5	Extremely Low	Not Significant
321	-0.4	-23.5	Extremely Low	Not Significant
322	-0.4	-22.3	Extremely Low	Not Significant
323	-0.3	-20.3	Extremely Low	Not Significant
324	-0.3	-20.3	Extremely Low	Not Significant
325	-0.3	-17.1	Extremely Low	Not Significant
326	-0.3	-17.6	Extremely Low	Not Significant
327	-0.2	-8.0	Extremely Low	Not Significant
328	-0.2	-11.1	Extremely Low	Not Significant
329	-1.1	-40.3	Very Low	Not Significant
330	-0.8	-36.9	Extremely Low	Not Significant
331	-4.0	-65.3	Low	Low Positive
332	-1.2	-33.0	Very Low	Low Positive
333	-0.5	-22.9	Extremely Low	Not Significant
334	-0.3	-14.3	Extremely Low	Not Significant
335	-0.3	-14.1	Extremely Low	Not Significant
336	-0.4	-18.7	Extremely Low	Not Significant
337	-0.4	-17.2	Extremely Low	Not Significant
338	-0.3	-16.6	Extremely Low	Not Significant
339	-0.4	-15.3	Extremely Low	Not Significant
340	-0.2	-11.2	Extremely Low	Not Significant
341	-0.2	-11.1	Extremely Low	Not Significant
342	-0.2	-11.1	Extremely Low	Not Significant
343	-0.1	-3.3	Extremely Low	Not Significant
344	0.0	2.3	Extremely Low	Not Significant
345	0.0	-0.2	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
346	0.1	2.7	Extremely Low	Not Significant
347	0.0	-2.4	Extremely Low	Not Significant
348	0.0	-2.3	Extremely Low	Not Significant
349	-0.1	-5.9	Extremely Low	Not Significant
350	-0.2	-9.0	Extremely Low	Not Significant
351	-0.4	-16.7	Extremely Low	Not Significant
352	-0.3	-14.6	Extremely Low	Not Significant
353	-0.3	-12.1	Extremely Low	Not Significant
354	-0.2	-11.8	Extremely Low	Not Significant
355	0.1	2.7	Extremely Low	Not Significant
356	0.1	2.9	Extremely Low	Not Significant
357	0.5	19.0	Extremely Low	Not Significant
358	0.5	22.7	Extremely Low	Not Significant
359	0.3	11.4	Extremely Low	Not Significant
360	0.5	18.2	Extremely Low	Not Significant
361	0.4	17.6	Extremely Low	Not Significant
362	0.5	19.6	Extremely Low	Not Significant
363	0.5	22.6	Extremely Low	Not Significant
364	0.5	20.4	Extremely Low	Not Significant
365	0.2	11.2	Extremely Low	Not Significant
366	0.1	2.8	Extremely Low	Not Significant
367	0.0	2.5	Extremely Low	Not Significant
368	0.0	0.2	Extremely Low	Not Significant
369	0.0	0.4	Extremely Low	Not Significant
370	0.0	-0.8	Extremely Low	Not Significant
371	0.0	1.4	Extremely Low	Not Significant
372	0.9	37.8	Extremely Low	Not Significant
373	0.8	36.8	Extremely Low	Not Significant
374	0.1	4.4	Extremely Low	Not Significant
375	-0.2	-5.7	Extremely Low	Not Significant
376	-0.4	-12.1	Extremely Low	Not Significant
377	-0.4	-12.5	Extremely Low	Not Significant
378	0.3	13.6	Extremely Low	Not Significant
379	-0.1	-2.1	Extremely Low	Not Significant
380	0.1	6.1	Extremely Low	Not Significant
381	-0.2	-9.1	Extremely Low	Not Significant
382	-0.3	-9.9	Extremely Low	Not Significant
383	-0.2	-8.4	Extremely Low	Not Significant
384	-0.4	-11.4	Extremely Low	Not Significant
385	-0.7	-28.3	Extremely Low	Not Significant
386	-0.5	-19.5	Extremely Low	Not Significant
387	0.5	17.4	Extremely Low	Not Significant
388	0.4	15.4	Extremely Low	Not Significant
389	0.1	2.8	Extremely Low	Not Significant
390	-0.4	-8.2	Extremely Low	Not Significant
391	-0.1	-3.5	Extremely Low	Not Significant
392	-0.4	-7.5	Extremely Low	Not Significant
393	0.0	-0.4	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
394	0.1	1.6	Extremely Low	Not Significant
395	-0.2	-5.5	Extremely Low	Not Significant
396	-0.2	-6.2	Extremely Low	Not Significant
397	-0.1	-5.5	Extremely Low	Not Significant
398	-0.2	-4.2	Extremely Low	Not Significant
399	-0.2	-3.5	Extremely Low	Not Significant
400	-0.2	-5.8	Extremely Low	Not Significant
401	-0.2	-4.0	Extremely Low	Not Significant
402	-0.1	-3.0	Extremely Low	Not Significant
403	0.0	-0.8	Extremely Low	Not Significant
404	-0.1	-2.2	Extremely Low	Not Significant
405	-0.2	-5.3	Extremely Low	Not Significant
406	-0.2	-3.5	Extremely Low	Not Significant
407	-0.1	-2.2	Extremely Low	Not Significant
408	0.0	-1.1	Extremely Low	Not Significant
409	0.1	1.8	Extremely Low	Not Significant
410	0.1	3.8	Extremely Low	Not Significant
411	0.0	-4.8	Extremely Low	Not Significant
412	-0.3	-3.6	Extremely Low	Not Significant
413	-0.3	-3.8	Extremely Low	Not Significant
414	-0.2	-3.5	Extremely Low	Not Significant
415	-0.2	-2.9	Extremely Low	Not Significant
416	-0.1	-2.4	Extremely Low	Not Significant
417	-0.2	-2.5	Extremely Low	Not Significant
418	0.0	-2.5	Extremely Low	Not Significant
419	-0.3	-6.1	Extremely Low	Not Significant
420	-0.2	-5.8	Extremely Low	Not Significant
421	-0.1	-2.6	Extremely Low	Not Significant
422	-0.1	-2.0	Extremely Low	Not Significant
423	-0.1	-1.6	Extremely Low	Not Significant
424	-0.1	-1.8	Extremely Low	Not Significant
425	-0.1	-1.4	Extremely Low	Not Significant
426	-0.1	-1.8	Extremely Low	Not Significant
427	-0.1	-2.6	Extremely Low	Not Significant
428	-0.1	-2.4	Extremely Low	Not Significant
433	-0.2	-2.2	Extremely Low	Not Significant
434	-0.1	-2.2	Extremely Low	Not Significant
435	0.0	-2.3	Extremely Low	Not Significant
436	0.0	-1.6	Extremely Low	Not Significant
437	-0.1	-2.3	Extremely Low	Not Significant
438	-0.1	-2.2	Extremely Low	Not Significant
439	0.0	-1.3	Extremely Low	Not Significant
440	-0.1	-2.6	Extremely Low	Not Significant
441	-0.2	-12.2	Extremely Low	Not Significant
442	-0.4	-15.9	Extremely Low	Not Significant
443	1.0	31.6	Extremely Low	Not Significant
444	0.8	19.1	Extremely Low	Not Significant
445	2.1	51.4	Very Low	Low Negative

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
446	1.3	32.4	Very Low	Low Negative
447	0.6	22.1	Extremely Low	Not Significant
448	0.6	19.0	Extremely Low	Not Significant
449	0.4	13.4	Extremely Low	Not Significant
450	0.4	17.3	Extremely Low	Not Significant
451	0.7	24.6	Extremely Low	Not Significant
452	0.8	23.2	Extremely Low	Not Significant
453	0.4	17.7	Extremely Low	Not Significant
454	0.8	28.9	Extremely Low	Not Significant
455	0.6	20.1	Extremely Low	Not Significant
456	0.0	0.4	Extremely Low	Not Significant
457	0.0	0.1	Extremely Low	Not Significant
458	0.3	12.2	Extremely Low	Not Significant
459	0.2	8.8	Extremely Low	Not Significant
460	0.3	11.3	Extremely Low	Not Significant
461	0.2	9.9	Extremely Low	Not Significant
462	0.2	11.2	Extremely Low	Not Significant
463	0.1	3.6	Extremely Low	Not Significant
464	0.1	6.4	Extremely Low	Not Significant
465	0.2	10.7	Extremely Low	Not Significant
466	0.1	9.4	Extremely Low	Not Significant
467	0.4	21.5	Extremely Low	Not Significant
468	0.3	14.1	Extremely Low	Not Significant
469	1.5	47.5	Very Low	Low Negative
470	1.3	51.9	Very Low	Low Negative
471	0.9	35.7	Extremely Low	Not Significant
472	0.6	28.5	Extremely Low	Not Significant
473	0.4	15.6	Extremely Low	Not Significant
474	-0.2	-7.3	Extremely Low	Not Significant
475	-0.4	-16.8	Extremely Low	Not Significant
476	-0.8	-30.5	Extremely Low	Not Significant
477	-0.2	-3.6	Extremely Low	Not Significant
478	-0.1	-3.0	Extremely Low	Not Significant
479	-0.1	-3.8	Extremely Low	Not Significant
480	0.0	-3.1	Extremely Low	Not Significant
481	0.0	-2.4	Extremely Low	Not Significant
482	-0.1	-6.0	Extremely Low	Not Significant
486	-0.1	-6.4	Extremely Low	Not Significant
487	-0.3	-9.3	Extremely Low	Not Significant
488	-0.2	-7.6	Extremely Low	Not Significant
489	-0.4	-11.4	Extremely Low	Not Significant
490	-0.1	-4.9	Extremely Low	Not Significant
491	-0.2	-5.4	Extremely Low	Not Significant
492	-0.1	-5.1	Extremely Low	Not Significant
493	-0.1	-4.7	Extremely Low	Not Significant
494	-0.1	-3.7	Extremely Low	Not Significant
495	0.0	-2.2	Extremely Low	Not Significant
496	0.0	-2.4	Extremely Low	Not Significant

Receptor ID	DS-DM PM ₁₀ Daily Mean Exceedence (µg/m ³)	DS-DM PM ₁₀ Daily Mean Exceedence (%)	DS-DM PM ₁₀ Daily Mean Exceedence - Magnitude	DS-DM PM ₁₀ Daily Mean Exceedence - Significance
497	-0.2	-5.9	Extremely Low	Not Significant
498	-0.1	-6.1	Extremely Low	Not Significant
499	0.0	-0.6	Extremely Low	Not Significant
500	0.0	0.6	Extremely Low	Not Significant
501	0.2	8.7	Extremely Low	Not Significant
502	0.2	7.3	Extremely Low	Not Significant
503	0.1	2.4	Extremely Low	Not Significant
504	0.1	5.5	Extremely Low	Not Significant
505	0.0	-0.7	Extremely Low	Not Significant
506	-0.1	-5.7	Extremely Low	Not Significant
507	-0.1	-3.7	Extremely Low	Not Significant
508	0.1	7.4	Extremely Low	Not Significant
509	0.1	7.1	Extremely Low	Not Significant
510	0.1	8.7	Extremely Low	Not Significant
511	0.1	8.9	Extremely Low	Not Significant
512	0.0	-1.2	Extremely Low	Not Significant
513	0.0	0.0	Extremely Low	Not Significant
514	0.0	-1.1	Extremely Low	Not Significant
515	-0.1	-4.7	Extremely Low	Not Significant
516	-0.2	-5.8	Extremely Low	Not Significant
517	-0.4	-4.4	Extremely Low	Not Significant
518	-0.3	-5.3	Extremely Low	Not Significant
548	-0.9	-37.3	Extremely Low	Not Significant
WI1	1.5	124.4	Very Low	Low Negative
WI2	1.4	115.3	Very Low	Low Negative
WI4	0.9	69.6	Extremely Low	Not Significant
WI3	1.8	148.0	Very Low	Low Negative
WI5	1.1	87.3	Very Low	Low Negative
WI6	0.3	20.2	Extremely Low	Not Significant
WI7	0.5	45.9	Extremely Low	Not Significant
WI8	0.2	15.8	Extremely Low	Not Significant
WI9	0.0	-2.4	Extremely Low	Not Significant
WI10	0.0	0.9	Extremely Low	Not Significant
WI11	1.8	142.9	Very Low	Low Negative